

Appendix 1 - Source Data

| Health Board | Year | Quarter | Condition | Severity | Laterality | Number of Patients |
|---------------------|-------------|----------------|------------------|-----------------|-------------------|---------------------------|
| A&A | 2021 | Jan-Mar | Conductive | Mild | Unilateral | 641 |
| A&A | 2021 | Jan-Mar | Conductive | Mild | Bilateral | 301 |
| A&A | 2021 | Jan-Mar | Sensorineural | Mild | Unilateral | 27 |
| A&A | 2021 | Jan-Mar | Sensorineural | Mild | Bilateral | 18 |
| A&A | 2021 | Jan-Mar | Mixed | Mild | Unilateral | 5 |
| A&A | 2021 | Jan-Mar | Mixed | Mild | Bilateral | 0 |
| A&A | 2021 | Jan-Mar | ANSD | Mild | Unilateral | 0 |
| A&A | 2021 | Jan-Mar | ANSD | Mild | Bilateral | <5 |
| A&A | 2021 | Jan-Mar | Undefined | Mild | Unilateral | <5 |
| A&A | 2021 | Jan-Mar | Undefined | Mild | Bilateral | <5 |
| A&A | 2021 | Jan-Mar | Conductive | Moderate | Unilateral | 13 |
| A&A | 2021 | Jan-Mar | Conductive | Moderate | Bilateral | 6 |
| A&A | 2021 | Jan-Mar | Sensorineural | Moderate | Unilateral | 30 |
| A&A | 2021 | Jan-Mar | Sensorineural | Moderate | Bilateral | 33 |
| A&A | 2021 | Jan-Mar | Mixed | Moderate | Unilateral | 10 |
| A&A | 2021 | Jan-Mar | Mixed | Moderate | Bilateral | <5 |
| A&A | 2021 | Jan-Mar | ANSD | Moderate | Unilateral | 0 |
| A&A | 2021 | Jan-Mar | ANSD | Moderate | Bilateral | 0 |
| A&A | 2021 | Jan-Mar | Undefined | Moderate | Unilateral | 133 |
| A&A | 2021 | Jan-Mar | Undefined | Moderate | Bilateral | 49 |
| A&A | 2021 | Jan-Mar | Conductive | Severe | Unilateral | <5 |
| A&A | 2021 | Jan-Mar | Conductive | Severe | Bilateral | <5 |
| A&A | 2021 | Jan-Mar | Sensorineural | Severe | Unilateral | 37 |
| A&A | 2021 | Jan-Mar | Sensorineural | Severe | Bilateral | 38 |
| A&A | 2021 | Jan-Mar | Mixed | Severe | Unilateral | <5 |
| A&A | 2021 | Jan-Mar | Mixed | Severe | Bilateral | <5 |
| A&A | 2021 | Jan-Mar | ANSD | Severe | Unilateral | 0 |
| A&A | 2021 | Jan-Mar | ANSD | Severe | Bilateral | 0 |
| A&A | 2021 | Jan-Mar | Undefined | Severe | Unilateral | <5 |
| A&A | 2021 | Jan-Mar | Undefined | Severe | Bilateral | <5 |
| A&A | 2021 | Jan-Mar | Conductive | Profound | Unilateral | 0 |
| A&A | 2021 | Jan-Mar | Conductive | Profound | Bilateral | 0 |
| A&A | 2021 | Jan-Mar | Sensorineural | Profound | Unilateral | 15 |
| A&A | 2021 | Jan-Mar | Sensorineural | Profound | Bilateral | 13 |
| A&A | 2021 | Jan-Mar | Mixed | Profound | Unilateral | 0 |
| A&A | 2021 | Jan-Mar | Mixed | Profound | Bilateral | 0 |
| A&A | 2021 | Jan-Mar | ANSD | Profound | Unilateral | 0 |
| A&A | 2021 | Jan-Mar | ANSD | Profound | Bilateral | 0 |
| A&A | 2021 | Jan-Mar | Undefined | Profound | Unilateral | 0 |
| A&A | 2021 | Jan-Mar | Undefined | Profound | Bilateral | 0 |
| A&A | 2021 | Jan-Mar | Conductive | Unclassified | Unilateral | 0 |
| A&A | 2021 | Jan-Mar | Conductive | Unclassified | Bilateral | 0 |
| A&A | 2021 | Jan-Mar | Sensorineural | Unclassified | Unilateral | 0 |
| A&A | 2021 | Jan-Mar | Sensorineural | Unclassified | Bilateral | 0 |
| A&A | 2021 | Jan-Mar | Mixed | Unclassified | Unilateral | 0 |
| A&A | 2021 | Jan-Mar | Mixed | Unclassified | Bilateral | 0 |
| A&A | 2021 | Jan-Mar | ANSD | Unclassified | Unilateral | 0 |
| A&A | 2021 | Jan-Mar | ANSD | Unclassified | Bilateral | 0 |

| | | | | | |
|-----|--------------|---------------|--------------|------------|-----|
| A&A | 2021 Jan-Mar | Undefined | Unclassified | Unilateral | 0 |
| A&A | 2021 Jan-Mar | Undefined | Unclassified | Bilateral | 0 |
| A&A | 2020 Oct-Dec | Conductive | Mild | Unilateral | 25 |
| A&A | 2020 Oct-Dec | Conductive | Mild | Bilateral | 13 |
| A&A | 2020 Oct-Dec | Sensorineural | Mild | Unilateral | 28 |
| A&A | 2020 Oct-Dec | Sensorineural | Mild | Bilateral | 18 |
| A&A | 2020 Oct-Dec | Mixed | Mild | Unilateral | 5 |
| A&A | 2020 Oct-Dec | Mixed | Mild | Bilateral | 0 |
| A&A | 2020 Oct-Dec | ANSD | Mild | Unilateral | 0 |
| A&A | 2020 Oct-Dec | ANSD | Mild | Bilateral | 0 |
| A&A | 2020 Oct-Dec | Undefined | Mild | Unilateral | 659 |
| A&A | 2020 Oct-Dec | Undefined | Mild | Bilateral | 306 |
| A&A | 2020 Oct-Dec | Conductive | Moderate | Unilateral | 14 |
| A&A | 2020 Oct-Dec | Conductive | Moderate | Bilateral | 8 |
| A&A | 2020 Oct-Dec | Sensorineural | Moderate | Unilateral | 36 |
| A&A | 2020 Oct-Dec | Sensorineural | Moderate | Bilateral | 35 |
| A&A | 2020 Oct-Dec | Mixed | Moderate | Unilateral | 9 |
| A&A | 2020 Oct-Dec | Mixed | Moderate | Bilateral | <5 |
| A&A | 2020 Oct-Dec | ANSD | Moderate | Unilateral | 0 |
| A&A | 2020 Oct-Dec | ANSD | Moderate | Bilateral | 0 |
| A&A | 2020 Oct-Dec | Undefined | Moderate | Unilateral | 135 |
| A&A | 2020 Oct-Dec | Undefined | Moderate | Bilateral | 65 |
| A&A | 2020 Oct-Dec | Conductive | Severe | Unilateral | 0 |
| A&A | 2020 Oct-Dec | Conductive | Severe | Bilateral | 0 |
| A&A | 2020 Oct-Dec | Sensorineural | Severe | Unilateral | 15 |
| A&A | 2020 Oct-Dec | Sensorineural | Severe | Bilateral | 7 |
| A&A | 2020 Oct-Dec | Mixed | Severe | Unilateral | <5 |
| A&A | 2020 Oct-Dec | Mixed | Severe | Bilateral | <5 |
| A&A | 2020 Oct-Dec | ANSD | Severe | Unilateral | 0 |
| A&A | 2020 Oct-Dec | ANSD | Severe | Bilateral | 0 |
| A&A | 2020 Oct-Dec | Undefined | Severe | Unilateral | 26 |
| A&A | 2020 Oct-Dec | Undefined | Severe | Bilateral | 34 |
| A&A | 2020 Oct-Dec | Conductive | Profound | Unilateral | 0 |
| A&A | 2020 Oct-Dec | Conductive | Profound | Bilateral | 0 |
| A&A | 2020 Oct-Dec | Sensorineural | Profound | Unilateral | 6 |
| A&A | 2020 Oct-Dec | Sensorineural | Profound | Bilateral | <5 |
| A&A | 2020 Oct-Dec | Mixed | Profound | Unilateral | 0 |
| A&A | 2020 Oct-Dec | Mixed | Profound | Bilateral | 0 |
| A&A | 2020 Oct-Dec | ANSD | Profound | Unilateral | 0 |
| A&A | 2020 Oct-Dec | ANSD | Profound | Bilateral | 0 |
| A&A | 2020 Oct-Dec | Undefined | Profound | Unilateral | 13 |
| A&A | 2020 Oct-Dec | Undefined | Profound | Bilateral | 13 |
| A&A | 2020 Oct-Dec | Conductive | Unclassified | Unilateral | 0 |
| A&A | 2020 Oct-Dec | Conductive | Unclassified | Bilateral | 0 |
| A&A | 2020 Oct-Dec | Sensorineural | Unclassified | Unilateral | 0 |
| A&A | 2020 Oct-Dec | Sensorineural | Unclassified | Bilateral | 0 |
| A&A | 2020 Oct-Dec | Mixed | Unclassified | Unilateral | 0 |
| A&A | 2020 Oct-Dec | Mixed | Unclassified | Bilateral | 0 |
| A&A | 2020 Oct-Dec | ANSD | Unclassified | Unilateral | 0 |
| A&A | 2020 Oct-Dec | ANSD | Unclassified | Bilateral | 0 |

| | | | | | |
|------|--------------|---------------|--------------|------------|----|
| A&A | 2020 Oct-Dec | Undefined | Unclassified | Unilateral | 0 |
| A&A | 2020 Oct-Dec | Undefined | Unclassified | Bilateral | 0 |
| BORD | 2021 Jan-Mar | Conductive | Mild | Unilateral | <5 |
| BORD | 2021 Jan-Mar | Conductive | Mild | Bilateral | 0 |
| BORD | 2021 Jan-Mar | Sensorineural | Mild | Unilateral | <5 |
| BORD | 2021 Jan-Mar | Sensorineural | Mild | Bilateral | <5 |
| BORD | 2021 Jan-Mar | Mixed | Mild | Unilateral | 0 |
| BORD | 2021 Jan-Mar | Mixed | Mild | Bilateral | <5 |
| BORD | 2021 Jan-Mar | ANSD | Mild | Unilateral | 0 |
| BORD | 2021 Jan-Mar | ANSD | Mild | Bilateral | 0 |
| BORD | 2021 Jan-Mar | Undefined | Mild | Unilateral | 0 |
| BORD | 2021 Jan-Mar | Undefined | Mild | Bilateral | 0 |
| BORD | 2021 Jan-Mar | Conductive | Moderate | Unilateral | <5 |
| BORD | 2021 Jan-Mar | Conductive | Moderate | Bilateral | <5 |
| BORD | 2021 Jan-Mar | Sensorineural | Moderate | Unilateral | 0 |
| BORD | 2021 Jan-Mar | Sensorineural | Moderate | Bilateral | 5 |
| BORD | 2021 Jan-Mar | Mixed | Moderate | Unilateral | <5 |
| BORD | 2021 Jan-Mar | Mixed | Moderate | Bilateral | 0 |
| BORD | 2021 Jan-Mar | ANSD | Moderate | Unilateral | 0 |
| BORD | 2021 Jan-Mar | ANSD | Moderate | Bilateral | 0 |
| BORD | 2021 Jan-Mar | Undefined | Moderate | Unilateral | 0 |
| BORD | 2021 Jan-Mar | Undefined | Moderate | Bilateral | 0 |
| BORD | 2021 Jan-Mar | Conductive | Severe | Unilateral | <5 |
| BORD | 2021 Jan-Mar | Conductive | Severe | Bilateral | 0 |
| BORD | 2021 Jan-Mar | Sensorineural | Severe | Unilateral | 0 |
| BORD | 2021 Jan-Mar | Sensorineural | Severe | Bilateral | <5 |
| BORD | 2021 Jan-Mar | Mixed | Severe | Unilateral | 0 |
| BORD | 2021 Jan-Mar | Mixed | Severe | Bilateral | 0 |
| BORD | 2021 Jan-Mar | ANSD | Severe | Unilateral | 0 |
| BORD | 2021 Jan-Mar | ANSD | Severe | Bilateral | 0 |
| BORD | 2021 Jan-Mar | Undefined | Severe | Unilateral | 0 |
| BORD | 2021 Jan-Mar | Undefined | Severe | Bilateral | 0 |
| BORD | 2021 Jan-Mar | Conductive | Profound | Unilateral | 0 |
| BORD | 2021 Jan-Mar | Conductive | Profound | Bilateral | 0 |
| BORD | 2021 Jan-Mar | Sensorineural | Profound | Unilateral | <5 |
| BORD | 2021 Jan-Mar | Sensorineural | Profound | Bilateral | 6 |
| BORD | 2021 Jan-Mar | Mixed | Profound | Unilateral | 0 |
| BORD | 2021 Jan-Mar | Mixed | Profound | Bilateral | 0 |
| BORD | 2021 Jan-Mar | ANSD | Profound | Unilateral | 0 |
| BORD | 2021 Jan-Mar | ANSD | Profound | Bilateral | 0 |
| BORD | 2021 Jan-Mar | Undefined | Profound | Unilateral | 0 |
| BORD | 2021 Jan-Mar | Undefined | Profound | Bilateral | 0 |
| BORD | 2021 Jan-Mar | Conductive | Unclassified | Unilateral | 0 |
| BORD | 2021 Jan-Mar | Conductive | Unclassified | Bilateral | 0 |
| BORD | 2021 Jan-Mar | Sensorineural | Unclassified | Unilateral | 0 |
| BORD | 2021 Jan-Mar | Sensorineural | Unclassified | Bilateral | 0 |
| BORD | 2021 Jan-Mar | Mixed | Unclassified | Unilateral | 0 |
| BORD | 2021 Jan-Mar | Mixed | Unclassified | Bilateral | 0 |
| BORD | 2021 Jan-Mar | ANSD | Unclassified | Unilateral | 0 |
| BORD | 2021 Jan-Mar | ANSD | Unclassified | Bilateral | 0 |

| | | | | | |
|------|--------------|---------------|--------------|------------|----|
| BORD | 2021 Jan-Mar | Undefined | Unclassified | Unilateral | 0 |
| BORD | 2021 Jan-Mar | Undefined | Unclassified | Bilateral | 0 |
| BORD | 2020 Oct-Dec | Conductive | Mild | Unilateral | <5 |
| BORD | 2020 Oct-Dec | Conductive | Mild | Bilateral | 0 |
| BORD | 2020 Oct-Dec | Sensorineural | Mild | Unilateral | 5 |
| BORD | 2020 Oct-Dec | Sensorineural | Mild | Bilateral | <5 |
| BORD | 2020 Oct-Dec | Mixed | Mild | Unilateral | 0 |
| BORD | 2020 Oct-Dec | Mixed | Mild | Bilateral | 0 |
| BORD | 2020 Oct-Dec | ANSD | Mild | Unilateral | 0 |
| BORD | 2020 Oct-Dec | ANSD | Mild | Bilateral | 0 |
| BORD | 2020 Oct-Dec | Undefined | Mild | Unilateral | 0 |
| BORD | 2020 Oct-Dec | Undefined | Mild | Bilateral | 0 |
| BORD | 2020 Oct-Dec | Conductive | Moderate | Unilateral | <5 |
| BORD | 2020 Oct-Dec | Conductive | Moderate | Bilateral | <5 |
| BORD | 2020 Oct-Dec | Sensorineural | Moderate | Unilateral | 0 |
| BORD | 2020 Oct-Dec | Sensorineural | Moderate | Bilateral | <5 |
| BORD | 2020 Oct-Dec | Mixed | Moderate | Unilateral | <5 |
| BORD | 2020 Oct-Dec | Mixed | Moderate | Bilateral | <5 |
| BORD | 2020 Oct-Dec | ANSD | Moderate | Unilateral | 0 |
| BORD | 2020 Oct-Dec | ANSD | Moderate | Bilateral | 0 |
| BORD | 2020 Oct-Dec | Undefined | Moderate | Unilateral | 0 |
| BORD | 2020 Oct-Dec | Undefined | Moderate | Bilateral | 0 |
| BORD | 2020 Oct-Dec | Conductive | Severe | Unilateral | <5 |
| BORD | 2020 Oct-Dec | Conductive | Severe | Bilateral | 0 |
| BORD | 2020 Oct-Dec | Sensorineural | Severe | Unilateral | 0 |
| BORD | 2020 Oct-Dec | Sensorineural | Severe | Bilateral | <5 |
| BORD | 2020 Oct-Dec | Mixed | Severe | Unilateral | 0 |
| BORD | 2020 Oct-Dec | Mixed | Severe | Bilateral | 0 |
| BORD | 2020 Oct-Dec | ANSD | Severe | Unilateral | 0 |
| BORD | 2020 Oct-Dec | ANSD | Severe | Bilateral | 0 |
| BORD | 2020 Oct-Dec | Undefined | Severe | Unilateral | 0 |
| BORD | 2020 Oct-Dec | Undefined | Severe | Bilateral | 0 |
| BORD | 2020 Oct-Dec | Conductive | Profound | Unilateral | 0 |
| BORD | 2020 Oct-Dec | Conductive | Profound | Bilateral | 0 |
| BORD | 2020 Oct-Dec | Sensorineural | Profound | Unilateral | <5 |
| BORD | 2020 Oct-Dec | Sensorineural | Profound | Bilateral | 5 |
| BORD | 2020 Oct-Dec | Mixed | Profound | Unilateral | 0 |
| BORD | 2020 Oct-Dec | Mixed | Profound | Bilateral | 0 |
| BORD | 2020 Oct-Dec | ANSD | Profound | Unilateral | 0 |
| BORD | 2020 Oct-Dec | ANSD | Profound | Bilateral | 0 |
| BORD | 2020 Oct-Dec | Undefined | Profound | Unilateral | 0 |
| BORD | 2020 Oct-Dec | Undefined | Profound | Bilateral | 0 |
| BORD | 2020 Oct-Dec | Conductive | Unclassified | Unilateral | 0 |
| BORD | 2020 Oct-Dec | Conductive | Unclassified | Bilateral | 0 |
| BORD | 2020 Oct-Dec | Sensorineural | Unclassified | Unilateral | 0 |
| BORD | 2020 Oct-Dec | Sensorineural | Unclassified | Bilateral | 0 |
| BORD | 2020 Oct-Dec | Mixed | Unclassified | Unilateral | 0 |
| BORD | 2020 Oct-Dec | Mixed | Unclassified | Bilateral | 0 |
| BORD | 2020 Oct-Dec | ANSD | Unclassified | Unilateral | 0 |
| BORD | 2020 Oct-Dec | ANSD | Unclassified | Bilateral | 0 |

| | | | | | |
|------|--------------|---------------|--------------|------------|----|
| BORD | 2020 Oct-Dec | Undefined | Unclassified | Unilateral | 0 |
| BORD | 2020 Oct-Dec | Undefined | Unclassified | Bilateral | 0 |
| BORD | 2021 Apr-Jun | Conductive | Mild | Unilateral | <5 |
| BORD | 2021 Apr-Jun | Conductive | Mild | Bilateral | 0 |
| BORD | 2021 Apr-Jun | Sensorineural | Mild | Unilateral | <5 |
| BORD | 2021 Apr-Jun | Sensorineural | Mild | Bilateral | <5 |
| BORD | 2021 Apr-Jun | Mixed | Mild | Unilateral | 0 |
| BORD | 2021 Apr-Jun | Mixed | Mild | Bilateral | 0 |
| BORD | 2021 Apr-Jun | ANSD | Mild | Unilateral | 0 |
| BORD | 2021 Apr-Jun | ANSD | Mild | Bilateral | 0 |
| BORD | 2021 Apr-Jun | Undefined | Mild | Unilateral | 0 |
| BORD | 2021 Apr-Jun | Undefined | Mild | Bilateral | 0 |
| BORD | 2021 Apr-Jun | Conductive | Moderate | Unilateral | <5 |
| BORD | 2021 Apr-Jun | Conductive | Moderate | Bilateral | <5 |
| BORD | 2021 Apr-Jun | Sensorineural | Moderate | Unilateral | 0 |
| BORD | 2021 Apr-Jun | Sensorineural | Moderate | Bilateral | <5 |
| BORD | 2021 Apr-Jun | Mixed | Moderate | Unilateral | 0 |
| BORD | 2021 Apr-Jun | Mixed | Moderate | Bilateral | 0 |
| BORD | 2021 Apr-Jun | ANSD | Moderate | Unilateral | 0 |
| BORD | 2021 Apr-Jun | ANSD | Moderate | Bilateral | 0 |
| BORD | 2021 Apr-Jun | Undefined | Moderate | Unilateral | 0 |
| BORD | 2021 Apr-Jun | Undefined | Moderate | Bilateral | 0 |
| BORD | 2021 Apr-Jun | Conductive | Severe | Unilateral | <5 |
| BORD | 2021 Apr-Jun | Conductive | Severe | Bilateral | 0 |
| BORD | 2021 Apr-Jun | Sensorineural | Severe | Unilateral | 0 |
| BORD | 2021 Apr-Jun | Sensorineural | Severe | Bilateral | <5 |
| BORD | 2021 Apr-Jun | Mixed | Severe | Unilateral | 0 |
| BORD | 2021 Apr-Jun | Mixed | Severe | Bilateral | 0 |
| BORD | 2021 Apr-Jun | ANSD | Severe | Unilateral | 0 |
| BORD | 2021 Apr-Jun | ANSD | Severe | Bilateral | 0 |
| BORD | 2021 Apr-Jun | Undefined | Severe | Unilateral | 0 |
| BORD | 2021 Apr-Jun | Undefined | Severe | Bilateral | 0 |
| BORD | 2021 Apr-Jun | Conductive | Profound | Unilateral | 0 |
| BORD | 2021 Apr-Jun | Conductive | Profound | Bilateral | 0 |
| BORD | 2021 Apr-Jun | Sensorineural | Profound | Unilateral | <5 |
| BORD | 2021 Apr-Jun | Sensorineural | Profound | Bilateral | 6 |
| BORD | 2021 Apr-Jun | Mixed | Profound | Unilateral | 0 |
| BORD | 2021 Apr-Jun | Mixed | Profound | Bilateral | 0 |
| BORD | 2021 Apr-Jun | ANSD | Profound | Unilateral | 0 |
| BORD | 2021 Apr-Jun | ANSD | Profound | Bilateral | 0 |
| BORD | 2021 Apr-Jun | Undefined | Profound | Unilateral | 0 |
| BORD | 2021 Apr-Jun | Undefined | Profound | Bilateral | 0 |
| BORD | 2021 Apr-Jun | Conductive | Unclassified | Unilateral | 0 |
| BORD | 2021 Apr-Jun | Conductive | Unclassified | Bilateral | 0 |
| BORD | 2021 Apr-Jun | Sensorineural | Unclassified | Unilateral | 0 |
| BORD | 2021 Apr-Jun | Sensorineural | Unclassified | Bilateral | 0 |
| BORD | 2021 Apr-Jun | Mixed | Unclassified | Unilateral | 0 |
| BORD | 2021 Apr-Jun | Mixed | Unclassified | Bilateral | 0 |
| BORD | 2021 Apr-Jun | ANSD | Unclassified | Unilateral | 0 |
| BORD | 2021 Apr-Jun | ANSD | Unclassified | Bilateral | 0 |

| | | | | | |
|------|--------------|---------------|--------------|------------|----|
| BORD | 2021 Apr-Jun | Undefined | Unclassified | Unilateral | 0 |
| BORD | 2021 Apr-Jun | Undefined | Unclassified | Bilateral | 0 |
| D&G | 2021 Jan-Mar | Conductive | Mild | Unilateral | <5 |
| D&G | 2021 Jan-Mar | Conductive | Mild | Bilateral | <5 |
| D&G | 2021 Jan-Mar | Sensorineural | Mild | Unilateral | <5 |
| D&G | 2021 Jan-Mar | Sensorineural | Mild | Bilateral | 24 |
| D&G | 2021 Jan-Mar | Mixed | Mild | Unilateral | 0 |
| D&G | 2021 Jan-Mar | Mixed | Mild | Bilateral | 0 |
| D&G | 2021 Jan-Mar | ANSD | Mild | Unilateral | 0 |
| D&G | 2021 Jan-Mar | ANSD | Mild | Bilateral | 0 |
| D&G | 2021 Jan-Mar | Undefined | Mild | Unilateral | 0 |
| D&G | 2021 Jan-Mar | Undefined | Mild | Bilateral | 0 |
| D&G | 2021 Jan-Mar | Conductive | Moderate | Unilateral | 0 |
| D&G | 2021 Jan-Mar | Conductive | Moderate | Bilateral | <5 |
| D&G | 2021 Jan-Mar | Sensorineural | Moderate | Unilateral | <5 |
| D&G | 2021 Jan-Mar | Sensorineural | Moderate | Bilateral | 21 |
| D&G | 2021 Jan-Mar | Mixed | Moderate | Unilateral | 0 |
| D&G | 2021 Jan-Mar | Mixed | Moderate | Bilateral | 0 |
| D&G | 2021 Jan-Mar | ANSD | Moderate | Unilateral | 0 |
| D&G | 2021 Jan-Mar | ANSD | Moderate | Bilateral | 0 |
| D&G | 2021 Jan-Mar | Undefined | Moderate | Unilateral | 0 |
| D&G | 2021 Jan-Mar | Undefined | Moderate | Bilateral | 0 |
| D&G | 2021 Jan-Mar | Conductive | Severe | Unilateral | 0 |
| D&G | 2021 Jan-Mar | Conductive | Severe | Bilateral | 0 |
| D&G | 2021 Jan-Mar | Sensorineural | Severe | Unilateral | 0 |
| D&G | 2021 Jan-Mar | Sensorineural | Severe | Bilateral | <5 |
| D&G | 2021 Jan-Mar | Mixed | Severe | Unilateral | 0 |
| D&G | 2021 Jan-Mar | Mixed | Severe | Bilateral | 0 |
| D&G | 2021 Jan-Mar | ANSD | Severe | Unilateral | 0 |
| D&G | 2021 Jan-Mar | ANSD | Severe | Bilateral | 0 |
| D&G | 2021 Jan-Mar | Undefined | Severe | Unilateral | 0 |
| D&G | 2021 Jan-Mar | Undefined | Severe | Bilateral | 0 |
| D&G | 2021 Jan-Mar | Conductive | Profound | Unilateral | 0 |
| D&G | 2021 Jan-Mar | Conductive | Profound | Bilateral | 0 |
| D&G | 2021 Jan-Mar | Sensorineural | Profound | Unilateral | <5 |
| D&G | 2021 Jan-Mar | Sensorineural | Profound | Bilateral | <5 |
| D&G | 2021 Jan-Mar | Mixed | Profound | Unilateral | 0 |
| D&G | 2021 Jan-Mar | Mixed | Profound | Bilateral | 0 |
| D&G | 2021 Jan-Mar | ANSD | Profound | Unilateral | 0 |
| D&G | 2021 Jan-Mar | ANSD | Profound | Bilateral | 0 |
| D&G | 2021 Jan-Mar | Undefined | Profound | Unilateral | 0 |
| D&G | 2021 Jan-Mar | Undefined | Profound | Bilateral | 0 |
| D&G | 2021 Jan-Mar | Conductive | Unclassified | Unilateral | 0 |
| D&G | 2021 Jan-Mar | Conductive | Unclassified | Bilateral | 0 |
| D&G | 2021 Jan-Mar | Sensorineural | Unclassified | Unilateral | 0 |
| D&G | 2021 Jan-Mar | Sensorineural | Unclassified | Bilateral | 0 |
| D&G | 2021 Jan-Mar | Mixed | Unclassified | Unilateral | 0 |
| D&G | 2021 Jan-Mar | Mixed | Unclassified | Bilateral | 0 |
| D&G | 2021 Jan-Mar | ANSD | Unclassified | Unilateral | 0 |
| D&G | 2021 Jan-Mar | ANSD | Unclassified | Bilateral | 0 |

| | | | | | |
|-----|--------------|---------------|--------------|------------|----|
| D&G | 2021 Jan-Mar | Undefined | Unclassified | Unilateral | 0 |
| D&G | 2021 Jan-Mar | Undefined | Unclassified | Bilateral | 0 |
| D&G | 2020 Oct-Dec | Conductive | Mild | Unilateral | 5 |
| D&G | 2020 Oct-Dec | Conductive | Mild | Bilateral | <5 |
| D&G | 2020 Oct-Dec | Sensorineural | Mild | Unilateral | <5 |
| D&G | 2020 Oct-Dec | Sensorineural | Mild | Bilateral | 23 |
| D&G | 2020 Oct-Dec | Mixed | Mild | Unilateral | 0 |
| D&G | 2020 Oct-Dec | Mixed | Mild | Bilateral | 0 |
| D&G | 2020 Oct-Dec | ANSD | Mild | Unilateral | 0 |
| D&G | 2020 Oct-Dec | ANSD | Mild | Bilateral | 0 |
| D&G | 2020 Oct-Dec | Undefined | Mild | Unilateral | 0 |
| D&G | 2020 Oct-Dec | Undefined | Mild | Bilateral | 0 |
| D&G | 2020 Oct-Dec | Conductive | Moderate | Unilateral | <5 |
| D&G | 2020 Oct-Dec | Conductive | Moderate | Bilateral | <5 |
| D&G | 2020 Oct-Dec | Sensorineural | Moderate | Unilateral | <5 |
| D&G | 2020 Oct-Dec | Sensorineural | Moderate | Bilateral | 21 |
| D&G | 2020 Oct-Dec | Mixed | Moderate | Unilateral | 0 |
| D&G | 2020 Oct-Dec | Mixed | Moderate | Bilateral | 0 |
| D&G | 2020 Oct-Dec | ANSD | Moderate | Unilateral | 0 |
| D&G | 2020 Oct-Dec | ANSD | Moderate | Bilateral | 0 |
| D&G | 2020 Oct-Dec | Undefined | Moderate | Unilateral | 0 |
| D&G | 2020 Oct-Dec | Undefined | Moderate | Bilateral | 0 |
| D&G | 2020 Oct-Dec | Conductive | Severe | Unilateral | 0 |
| D&G | 2020 Oct-Dec | Conductive | Severe | Bilateral | 0 |
| D&G | 2020 Oct-Dec | Sensorineural | Severe | Unilateral | <5 |
| D&G | 2020 Oct-Dec | Sensorineural | Severe | Bilateral | <5 |
| D&G | 2020 Oct-Dec | Mixed | Severe | Unilateral | 0 |
| D&G | 2020 Oct-Dec | Mixed | Severe | Bilateral | 0 |
| D&G | 2020 Oct-Dec | ANSD | Severe | Unilateral | 0 |
| D&G | 2020 Oct-Dec | ANSD | Severe | Bilateral | 0 |
| D&G | 2020 Oct-Dec | Undefined | Severe | Unilateral | 0 |
| D&G | 2020 Oct-Dec | Undefined | Severe | Bilateral | 0 |
| D&G | 2020 Oct-Dec | Conductive | Profound | Unilateral | 0 |
| D&G | 2020 Oct-Dec | Conductive | Profound | Bilateral | 0 |
| D&G | 2020 Oct-Dec | Sensorineural | Profound | Unilateral | <5 |
| D&G | 2020 Oct-Dec | Sensorineural | Profound | Bilateral | <5 |
| D&G | 2020 Oct-Dec | Mixed | Profound | Unilateral | 0 |
| D&G | 2020 Oct-Dec | Mixed | Profound | Bilateral | 0 |
| D&G | 2020 Oct-Dec | ANSD | Profound | Unilateral | 0 |
| D&G | 2020 Oct-Dec | ANSD | Profound | Bilateral | 0 |
| D&G | 2020 Oct-Dec | Undefined | Profound | Unilateral | 0 |
| D&G | 2020 Oct-Dec | Undefined | Profound | Bilateral | 0 |
| D&G | 2020 Oct-Dec | Conductive | Unclassified | Unilateral | 0 |
| D&G | 2020 Oct-Dec | Conductive | Unclassified | Bilateral | 0 |
| D&G | 2020 Oct-Dec | Sensorineural | Unclassified | Unilateral | 0 |
| D&G | 2020 Oct-Dec | Sensorineural | Unclassified | Bilateral | 0 |
| D&G | 2020 Oct-Dec | Mixed | Unclassified | Unilateral | 0 |
| D&G | 2020 Oct-Dec | Mixed | Unclassified | Bilateral | 0 |
| D&G | 2020 Oct-Dec | ANSD | Unclassified | Unilateral | 0 |
| D&G | 2020 Oct-Dec | ANSD | Unclassified | Bilateral | 0 |

| | | | | | |
|-----|--------------|---------------|--------------|------------|----|
| D&G | 2020 Oct-Dec | Undefined | Unclassified | Unilateral | 0 |
| D&G | 2020 Oct-Dec | Undefined | Unclassified | Bilateral | 0 |
| D&G | 2020 Oct-Dec | Conductive | profound | Unilateral | 0 |
| D&G | 2020 Oct-Dec | Conductive | profound | Bilateral | 0 |
| D&G | 2020 Oct-Dec | Sensorineural | profound | Unilateral | 0 |
| D&G | 2020 Oct-Dec | Sensorineural | profound | Bilateral | <5 |
| D&G | 2020 Oct-Dec | Mixed | profound | Unilateral | 0 |
| D&G | 2020 Oct-Dec | Mixed | profound | Bilateral | 0 |
| D&G | 2020 Oct-Dec | ANSD | profound | Unilateral | 0 |
| D&G | 2020 Oct-Dec | ANSD | profound | Bilateral | 0 |
| D&G | 2020 Oct-Dec | Undefined | profound | Unilateral | 0 |
| D&G | 2020 Oct-Dec | Undefined | profound | Bilateral | 0 |
| D&G | 2020 Oct-Dec | Conductive | unclassified | Unilateral | 0 |
| D&G | 2020 Oct-Dec | Conductive | unclassified | Bilateral | 0 |
| D&G | 2020 Oct-Dec | Sensorineural | unclassified | Unilateral | 0 |
| D&G | 2020 Oct-Dec | Sensorineural | unclassified | Bilateral | 0 |
| D&G | 2020 Oct-Dec | Mixed | unclassified | Unilateral | 0 |
| D&G | 2020 Oct-Dec | Mixed | unclassified | Bilateral | 0 |
| D&G | 2020 Oct-Dec | ANSD | unclassified | Unilateral | 0 |
| D&G | 2020 Oct-Dec | ANSD | unclassified | Bilateral | 0 |
| D&G | 2020 Oct-Dec | Undefined | unclassified | Unilateral | 0 |
| D&G | 2020 Oct-Dec | Undefined | unclassified | Bilateral | 0 |
| D&G | 2021 Apr-Jun | Conductive | Mild | Unilateral | <5 |
| D&G | 2021 Apr-Jun | Conductive | Mild | Bilateral | <5 |
| D&G | 2021 Apr-Jun | Sensorineural | Mild | Unilateral | <5 |
| D&G | 2021 Apr-Jun | Sensorineural | Mild | Bilateral | 21 |
| D&G | 2021 Apr-Jun | Mixed | Mild | Unilateral | 0 |
| D&G | 2021 Apr-Jun | Mixed | Mild | Bilateral | 0 |
| D&G | 2021 Apr-Jun | ANSD | Mild | Unilateral | 0 |
| D&G | 2021 Apr-Jun | ANSD | Mild | Bilateral | 0 |
| D&G | 2021 Apr-Jun | Undefined | Mild | Unilateral | 0 |
| D&G | 2021 Apr-Jun | Undefined | Mild | Bilateral | 0 |
| D&G | 2021 Apr-Jun | Conductive | Moderate | Unilateral | <5 |
| D&G | 2021 Apr-Jun | Conductive | Moderate | Bilateral | 0 |
| D&G | 2021 Apr-Jun | Sensorineural | Moderate | Unilateral | <5 |
| D&G | 2021 Apr-Jun | Sensorineural | Moderate | Bilateral | 16 |
| D&G | 2021 Apr-Jun | Mixed | Moderate | Unilateral | 0 |
| D&G | 2021 Apr-Jun | Mixed | Moderate | Bilateral | 0 |
| D&G | 2021 Apr-Jun | ANSD | Moderate | Unilateral | 0 |
| D&G | 2021 Apr-Jun | ANSD | Moderate | Bilateral | 0 |
| D&G | 2021 Apr-Jun | Undefined | Moderate | Unilateral | 0 |
| D&G | 2021 Apr-Jun | Undefined | Moderate | Bilateral | 0 |
| D&G | 2021 Apr-Jun | Conductive | Severe | Unilateral | 0 |
| D&G | 2021 Apr-Jun | Conductive | Severe | Bilateral | 0 |
| D&G | 2021 Apr-Jun | Sensorineural | Severe | Unilateral | <5 |
| D&G | 2021 Apr-Jun | Sensorineural | Severe | Bilateral | 6 |
| D&G | 2021 Apr-Jun | Mixed | Severe | Unilateral | 0 |
| D&G | 2021 Apr-Jun | Mixed | Severe | Bilateral | 0 |
| D&G | 2021 Apr-Jun | ANSD | Severe | Unilateral | 0 |
| D&G | 2021 Apr-Jun | ANSD | Severe | Bilateral | 0 |

| | | | | | |
|------|--------------|---------------|--------------|------------|----|
| D&G | 2021 Apr-Jun | Undefined | Severe | Unilateral | 0 |
| D&G | 2021 Apr-Jun | Undefined | Severe | Bilateral | 0 |
| D&G | 2021 Apr-Jun | Conductive | Profound | Unilateral | 0 |
| D&G | 2021 Apr-Jun | Conductive | Profound | Bilateral | 0 |
| D&G | 2021 Apr-Jun | Sensorineural | Profound | Unilateral | <5 |
| D&G | 2021 Apr-Jun | Sensorineural | Profound | Bilateral | <5 |
| D&G | 2021 Apr-Jun | Mixed | Profound | Unilateral | 0 |
| D&G | 2021 Apr-Jun | Mixed | Profound | Bilateral | 0 |
| D&G | 2021 Apr-Jun | ANSD | Profound | Unilateral | 0 |
| D&G | 2021 Apr-Jun | ANSD | Profound | Bilateral | 0 |
| D&G | 2021 Apr-Jun | Undefined | Profound | Unilateral | 0 |
| D&G | 2021 Apr-Jun | Undefined | Profound | Bilateral | 0 |
| D&G | 2021 Apr-Jun | Conductive | Unclassified | Unilateral | 0 |
| D&G | 2021 Apr-Jun | Conductive | Unclassified | Bilateral | 0 |
| D&G | 2021 Apr-Jun | Sensorineural | Unclassified | Unilateral | 0 |
| D&G | 2021 Apr-Jun | Sensorineural | Unclassified | Bilateral | 0 |
| D&G | 2021 Apr-Jun | Mixed | Unclassified | Unilateral | 0 |
| D&G | 2021 Apr-Jun | Mixed | Unclassified | Bilateral | 0 |
| D&G | 2021 Apr-Jun | ANSD | Unclassified | Unilateral | 0 |
| D&G | 2021 Apr-Jun | ANSD | Unclassified | Bilateral | 0 |
| D&G | 2021 Apr-Jun | Undefined | Unclassified | Unilateral | 0 |
| D&G | 2021 Apr-Jun | Undefined | Unclassified | Bilateral | 0 |
| FIFE | 2021 Jan-Mar | Conductive | Mild | Unilateral | 25 |
| FIFE | 2021 Jan-Mar | Conductive | Mild | Bilateral | 39 |
| FIFE | 2021 Jan-Mar | Sensorineural | Mild | Unilateral | 8 |
| FIFE | 2021 Jan-Mar | Sensorineural | Mild | Bilateral | 23 |
| FIFE | 2021 Jan-Mar | Mixed | Mild | Unilateral | <5 |
| FIFE | 2021 Jan-Mar | Mixed | Mild | Bilateral | <5 |
| FIFE | 2021 Jan-Mar | ANSD | Mild | Unilateral | 0 |
| FIFE | 2021 Jan-Mar | ANSD | Mild | Bilateral | 0 |
| FIFE | 2021 Jan-Mar | Undefined | Mild | Unilateral | 0 |
| FIFE | 2021 Jan-Mar | Undefined | Mild | Bilateral | 0 |
| FIFE | 2021 Jan-Mar | Conductive | Moderate | Unilateral | 21 |
| FIFE | 2021 Jan-Mar | Conductive | Moderate | Bilateral | 23 |
| FIFE | 2021 Jan-Mar | Sensorineural | Moderate | Unilateral | 7 |
| FIFE | 2021 Jan-Mar | Sensorineural | Moderate | Bilateral | 46 |
| FIFE | 2021 Jan-Mar | Mixed | Moderate | Unilateral | <5 |
| FIFE | 2021 Jan-Mar | Mixed | Moderate | Bilateral | 6 |
| FIFE | 2021 Jan-Mar | ANSD | Moderate | Unilateral | 0 |
| FIFE | 2021 Jan-Mar | ANSD | Moderate | Bilateral | 0 |
| FIFE | 2021 Jan-Mar | Undefined | Moderate | Unilateral | 0 |
| FIFE | 2021 Jan-Mar | Undefined | Moderate | Bilateral | 0 |
| FIFE | 2021 Jan-Mar | Conductive | Severe | Unilateral | 13 |
| FIFE | 2021 Jan-Mar | Conductive | Severe | Bilateral | <5 |
| FIFE | 2021 Jan-Mar | Sensorineural | Severe | Unilateral | 6 |
| FIFE | 2021 Jan-Mar | Sensorineural | Severe | Bilateral | 21 |
| FIFE | 2021 Jan-Mar | Mixed | Severe | Unilateral | <5 |
| FIFE | 2021 Jan-Mar | Mixed | Severe | Bilateral | 0 |
| FIFE | 2021 Jan-Mar | ANSD | Severe | Unilateral | 0 |
| FIFE | 2021 Jan-Mar | ANSD | Severe | Bilateral | 0 |

| | | | | | |
|------|--------------|---------------|--------------|------------|----|
| FIFE | 2021 Jan-Mar | Undefined | Severe | Unilateral | 0 |
| FIFE | 2021 Jan-Mar | Undefined | Severe | Bilateral | 0 |
| FIFE | 2021 Jan-Mar | Conductive | Profound | Unilateral | 0 |
| FIFE | 2021 Jan-Mar | Conductive | Profound | Bilateral | 0 |
| FIFE | 2021 Jan-Mar | Sensorineural | Profound | Unilateral | 19 |
| FIFE | 2021 Jan-Mar | Sensorineural | Profound | Bilateral | 37 |
| FIFE | 2021 Jan-Mar | Mixed | Profound | Unilateral | 0 |
| FIFE | 2021 Jan-Mar | Mixed | Profound | Bilateral | 0 |
| FIFE | 2021 Jan-Mar | ANSD | Profound | Unilateral | 0 |
| FIFE | 2021 Jan-Mar | ANSD | Profound | Bilateral | 0 |
| FIFE | 2021 Jan-Mar | Undefined | Profound | Unilateral | 0 |
| FIFE | 2021 Jan-Mar | Undefined | Profound | Bilateral | 0 |
| FIFE | 2021 Jan-Mar | Conductive | Unclassified | Unilateral | 0 |
| FIFE | 2021 Jan-Mar | Conductive | Unclassified | Bilateral | 0 |
| FIFE | 2021 Jan-Mar | Sensorineural | Unclassified | Unilateral | 0 |
| FIFE | 2021 Jan-Mar | Sensorineural | Unclassified | Bilateral | 0 |
| FIFE | 2021 Jan-Mar | Mixed | Unclassified | Unilateral | 0 |
| FIFE | 2021 Jan-Mar | Mixed | Unclassified | Bilateral | 0 |
| FIFE | 2021 Jan-Mar | ANSD | Unclassified | Unilateral | 0 |
| FIFE | 2021 Jan-Mar | ANSD | Unclassified | Bilateral | 0 |
| FIFE | 2021 Jan-Mar | Undefined | Unclassified | Unilateral | 0 |
| FIFE | 2021 Jan-Mar | Undefined | Unclassified | Bilateral | 0 |
| FIFE | 2020 Oct-Dec | Conductive | Mild | Unilateral | 36 |
| FIFE | 2020 Oct-Dec | Conductive | Mild | Bilateral | 42 |
| FIFE | 2020 Oct-Dec | Sensorineural | Mild | Unilateral | 7 |
| FIFE | 2020 Oct-Dec | Sensorineural | Mild | Bilateral | 22 |
| FIFE | 2020 Oct-Dec | Mixed | Mild | Unilateral | 0 |
| FIFE | 2020 Oct-Dec | Mixed | Mild | Bilateral | 0 |
| FIFE | 2020 Oct-Dec | ANSD | Mild | Unilateral | 0 |
| FIFE | 2020 Oct-Dec | ANSD | Mild | Bilateral | 0 |
| FIFE | 2020 Oct-Dec | Undefined | Mild | Unilateral | 0 |
| FIFE | 2020 Oct-Dec | Undefined | Mild | Bilateral | 0 |
| FIFE | 2020 Oct-Dec | Conductive | Moderate | Unilateral | 20 |
| FIFE | 2020 Oct-Dec | Conductive | Moderate | Bilateral | 49 |
| FIFE | 2020 Oct-Dec | Sensorineural | Moderate | Unilateral | 13 |
| FIFE | 2020 Oct-Dec | Sensorineural | Moderate | Bilateral | 49 |
| FIFE | 2020 Oct-Dec | Mixed | Moderate | Unilateral | 5 |
| FIFE | 2020 Oct-Dec | Mixed | Moderate | Bilateral | <5 |
| FIFE | 2020 Oct-Dec | ANSD | Moderate | Unilateral | 0 |
| FIFE | 2020 Oct-Dec | ANSD | Moderate | Bilateral | 0 |
| FIFE | 2020 Oct-Dec | Undefined | Moderate | Unilateral | 0 |
| FIFE | 2020 Oct-Dec | Undefined | Moderate | Bilateral | 0 |
| FIFE | 2020 Oct-Dec | Conductive | Severe | Unilateral | 12 |
| FIFE | 2020 Oct-Dec | Conductive | Severe | Bilateral | <5 |
| FIFE | 2020 Oct-Dec | Sensorineural | Severe | Unilateral | 18 |
| FIFE | 2020 Oct-Dec | Sensorineural | Severe | Bilateral | 51 |
| FIFE | 2020 Oct-Dec | Mixed | Severe | Unilateral | 0 |
| FIFE | 2020 Oct-Dec | Mixed | Severe | Bilateral | <5 |
| FIFE | 2020 Oct-Dec | ANSD | Severe | Unilateral | 0 |
| FIFE | 2020 Oct-Dec | ANSD | Severe | Bilateral | 0 |

| | | | | | |
|------|--------------|---------------|--------------|------------|----|
| FIFE | 2020 Oct-Dec | Undefined | Severe | Unilateral | 0 |
| FIFE | 2020 Oct-Dec | Undefined | Severe | Bilateral | 0 |
| FIFE | 2020 Oct-Dec | Conductive | Profound | Unilateral | 0 |
| FIFE | 2020 Oct-Dec | Conductive | Profound | Bilateral | 0 |
| FIFE | 2020 Oct-Dec | Sensorineural | Profound | Unilateral | 15 |
| FIFE | 2020 Oct-Dec | Sensorineural | Profound | Bilateral | 41 |
| FIFE | 2020 Oct-Dec | Mixed | Profound | Unilateral | 0 |
| FIFE | 2020 Oct-Dec | Mixed | Profound | Bilateral | 0 |
| FIFE | 2020 Oct-Dec | ANSD | Profound | Unilateral | 0 |
| FIFE | 2020 Oct-Dec | ANSD | Profound | Bilateral | 0 |
| FIFE | 2020 Oct-Dec | Undefined | Profound | Unilateral | 0 |
| FIFE | 2020 Oct-Dec | Undefined | Profound | Bilateral | 0 |
| FIFE | 2020 Oct-Dec | Conductive | Unclassified | Unilateral | 0 |
| FIFE | 2020 Oct-Dec | Conductive | Unclassified | Bilateral | 0 |
| FIFE | 2020 Oct-Dec | Sensorineural | Unclassified | Unilateral | 0 |
| FIFE | 2020 Oct-Dec | Sensorineural | Unclassified | Bilateral | 0 |
| FIFE | 2020 Oct-Dec | Mixed | Unclassified | Unilateral | 0 |
| FIFE | 2020 Oct-Dec | Mixed | Unclassified | Bilateral | 0 |
| FIFE | 2020 Oct-Dec | ANSD | Unclassified | Unilateral | 0 |
| FIFE | 2020 Oct-Dec | ANSD | Unclassified | Bilateral | 0 |
| FIFE | 2020 Oct-Dec | Undefined | Unclassified | Unilateral | 0 |
| FIFE | 2020 Oct-Dec | Undefined | Unclassified | Bilateral | 0 |
| FIFE | 2021 Apr-Jun | Conductive | Mild | Unilateral | 14 |
| FIFE | 2021 Apr-Jun | Conductive | Mild | Bilateral | 48 |
| FIFE | 2021 Apr-Jun | Sensorineural | Mild | Unilateral | <5 |
| FIFE | 2021 Apr-Jun | Sensorineural | Mild | Bilateral | 19 |
| FIFE | 2021 Apr-Jun | Mixed | Mild | Unilateral | <5 |
| FIFE | 2021 Apr-Jun | Mixed | Mild | Bilateral | <5 |
| FIFE | 2021 Apr-Jun | ANSD | Mild | Unilateral | 0 |
| FIFE | 2021 Apr-Jun | ANSD | Mild | Bilateral | 0 |
| FIFE | 2021 Apr-Jun | Undefined | Mild | Unilateral | 0 |
| FIFE | 2021 Apr-Jun | Undefined | Mild | Bilateral | 0 |
| FIFE | 2021 Apr-Jun | Conductive | Moderate | Unilateral | 27 |
| FIFE | 2021 Apr-Jun | Conductive | Moderate | Bilateral | 20 |
| FIFE | 2021 Apr-Jun | Sensorineural | Moderate | Unilateral | 7 |
| FIFE | 2021 Apr-Jun | Sensorineural | Moderate | Bilateral | 49 |
| FIFE | 2021 Apr-Jun | Mixed | Moderate | Unilateral | <5 |
| FIFE | 2021 Apr-Jun | Mixed | Moderate | Bilateral | 13 |
| FIFE | 2021 Apr-Jun | ANSD | Moderate | Unilateral | 0 |
| FIFE | 2021 Apr-Jun | ANSD | Moderate | Bilateral | 0 |
| FIFE | 2021 Apr-Jun | Undefined | Moderate | Unilateral | 0 |
| FIFE | 2021 Apr-Jun | Undefined | Moderate | Bilateral | 0 |
| FIFE | 2021 Apr-Jun | Conductive | Severe | Unilateral | 11 |
| FIFE | 2021 Apr-Jun | Conductive | Severe | Bilateral | <5 |
| FIFE | 2021 Apr-Jun | Sensorineural | Severe | Unilateral | 5 |
| FIFE | 2021 Apr-Jun | Sensorineural | Severe | Bilateral | 12 |
| FIFE | 2021 Apr-Jun | Mixed | Severe | Unilateral | 5 |
| FIFE | 2021 Apr-Jun | Mixed | Severe | Bilateral | <5 |
| FIFE | 2021 Apr-Jun | ANSD | Severe | Unilateral | 0 |
| FIFE | 2021 Apr-Jun | ANSD | Severe | Bilateral | 0 |

| | | | | | |
|------|--------------|---------------|--------------|------------|----|
| FIFE | 2021 Apr-Jun | Undefined | Severe | Unilateral | 0 |
| FIFE | 2021 Apr-Jun | Undefined | Severe | Bilateral | 0 |
| FIFE | 2021 Apr-Jun | Conductive | Profound | Unilateral | 0 |
| FIFE | 2021 Apr-Jun | Conductive | Profound | Bilateral | 0 |
| FIFE | 2021 Apr-Jun | Sensorineural | Profound | Unilateral | 18 |
| FIFE | 2021 Apr-Jun | Sensorineural | Profound | Bilateral | 43 |
| FIFE | 2021 Apr-Jun | Mixed | Profound | Unilateral | 0 |
| FIFE | 2021 Apr-Jun | Mixed | Profound | Bilateral | 0 |
| FIFE | 2021 Apr-Jun | ANSD | Profound | Unilateral | 0 |
| FIFE | 2021 Apr-Jun | ANSD | Profound | Bilateral | 0 |
| FIFE | 2021 Apr-Jun | Undefined | Profound | Unilateral | 0 |
| FIFE | 2021 Apr-Jun | Undefined | Profound | Bilateral | 0 |
| FIFE | 2021 Apr-Jun | Conductive | Unclassified | Unilateral | 0 |
| FIFE | 2021 Apr-Jun | Conductive | Unclassified | Bilateral | 0 |
| FIFE | 2021 Apr-Jun | Sensorineural | Unclassified | Unilateral | 0 |
| FIFE | 2021 Apr-Jun | Sensorineural | Unclassified | Bilateral | 0 |
| FIFE | 2021 Apr-Jun | Mixed | Unclassified | Unilateral | 0 |
| FIFE | 2021 Apr-Jun | Mixed | Unclassified | Bilateral | 0 |
| FIFE | 2021 Apr-Jun | ANSD | Unclassified | Unilateral | 0 |
| FIFE | 2021 Apr-Jun | ANSD | Unclassified | Bilateral | 0 |
| FIFE | 2021 Apr-Jun | Undefined | Unclassified | Unilateral | 0 |
| FIFE | 2021 Apr-Jun | Undefined | Unclassified | Bilateral | 0 |
| FV | 2021 Jan-Mar | Conductive | Mild | Unilateral | <5 |
| FV | 2021 Jan-Mar | Conductive | Mild | Bilateral | 17 |
| FV | 2021 Jan-Mar | Sensorineural | Mild | Unilateral | 5 |
| FV | 2021 Jan-Mar | Sensorineural | Mild | Bilateral | 32 |
| FV | 2021 Jan-Mar | Mixed | Mild | Unilateral | <5 |
| FV | 2021 Jan-Mar | Mixed | Mild | Bilateral | <5 |
| FV | 2021 Jan-Mar | ANSD | Mild | Unilateral | 0 |
| FV | 2021 Jan-Mar | ANSD | Mild | Bilateral | <5 |
| FV | 2021 Jan-Mar | Undefined | Mild | Unilateral | 0 |
| FV | 2021 Jan-Mar | Undefined | Mild | Bilateral | 0 |
| FV | 2021 Jan-Mar | Conductive | Moderate | Unilateral | 5 |
| FV | 2021 Jan-Mar | Conductive | Moderate | Bilateral | 7 |
| FV | 2021 Jan-Mar | Sensorineural | Moderate | Unilateral | <5 |
| FV | 2021 Jan-Mar | Sensorineural | Moderate | Bilateral | 15 |
| FV | 2021 Jan-Mar | Mixed | Moderate | Unilateral | 0 |
| FV | 2021 Jan-Mar | Mixed | Moderate | Bilateral | <5 |
| FV | 2021 Jan-Mar | ANSD | Moderate | Unilateral | 0 |
| FV | 2021 Jan-Mar | ANSD | Moderate | Bilateral | 0 |
| FV | 2021 Jan-Mar | Undefined | Moderate | Unilateral | 0 |
| FV | 2021 Jan-Mar | Undefined | Moderate | Bilateral | 0 |
| FV | 2021 Jan-Mar | Conductive | Severe | Unilateral | <5 |
| FV | 2021 Jan-Mar | Conductive | Severe | Bilateral | 0 |
| FV | 2021 Jan-Mar | Sensorineural | Severe | Unilateral | <5 |
| FV | 2021 Jan-Mar | Sensorineural | Severe | Bilateral | 6 |
| FV | 2021 Jan-Mar | Mixed | Severe | Unilateral | 0 |
| FV | 2021 Jan-Mar | Mixed | Severe | Bilateral | 0 |
| FV | 2021 Jan-Mar | ANSD | Severe | Unilateral | 0 |
| FV | 2021 Jan-Mar | ANSD | Severe | Bilateral | 0 |

| | | | | | |
|----|--------------|---------------|--------------|------------|----|
| FV | 2021 Jan-Mar | Undefined | Severe | Unilateral | 0 |
| FV | 2021 Jan-Mar | Undefined | Severe | Bilateral | 0 |
| FV | 2021 Jan-Mar | Conductive | Profound | Unilateral | 0 |
| FV | 2021 Jan-Mar | Conductive | Profound | Bilateral | 0 |
| FV | 2021 Jan-Mar | Sensorineural | Profound | Unilateral | 0 |
| FV | 2021 Jan-Mar | Sensorineural | Profound | Bilateral | <5 |
| FV | 2021 Jan-Mar | Mixed | Profound | Unilateral | 0 |
| FV | 2021 Jan-Mar | Mixed | Profound | Bilateral | 0 |
| FV | 2021 Jan-Mar | ANSD | Profound | Unilateral | 0 |
| FV | 2021 Jan-Mar | ANSD | Profound | Bilateral | 0 |
| FV | 2021 Jan-Mar | Undefined | Profound | Unilateral | 0 |
| FV | 2021 Jan-Mar | Undefined | Profound | Bilateral | 0 |
| FV | 2021 Jan-Mar | Conductive | Unclassified | Unilateral | 0 |
| FV | 2021 Jan-Mar | Conductive | Unclassified | Bilateral | 0 |
| FV | 2021 Jan-Mar | Sensorineural | Unclassified | Unilateral | 0 |
| FV | 2021 Jan-Mar | Sensorineural | Unclassified | Bilateral | 0 |
| FV | 2021 Jan-Mar | Mixed | Unclassified | Unilateral | 0 |
| FV | 2021 Jan-Mar | Mixed | Unclassified | Bilateral | 0 |
| FV | 2021 Jan-Mar | ANSD | Unclassified | Unilateral | 0 |
| FV | 2021 Jan-Mar | ANSD | Unclassified | Bilateral | 0 |
| FV | 2021 Jan-Mar | Undefined | Unclassified | Unilateral | 0 |
| FV | 2021 Jan-Mar | Undefined | Unclassified | Bilateral | 0 |
| FV | 2020 Oct-Dec | Conductive | Mild | Unilateral | <5 |
| FV | 2020 Oct-Dec | Conductive | Mild | Bilateral | 13 |
| FV | 2020 Oct-Dec | Sensorineural | Mild | Unilateral | <5 |
| FV | 2020 Oct-Dec | Sensorineural | Mild | Bilateral | 20 |
| FV | 2020 Oct-Dec | Mixed | Mild | Unilateral | 0 |
| FV | 2020 Oct-Dec | Mixed | Mild | Bilateral | <5 |
| FV | 2020 Oct-Dec | ANSD | Mild | Unilateral | 0 |
| FV | 2020 Oct-Dec | ANSD | Mild | Bilateral | 0 |
| FV | 2020 Oct-Dec | Undefined | Mild | Unilateral | 0 |
| FV | 2020 Oct-Dec | Undefined | Mild | Bilateral | 0 |
| FV | 2020 Oct-Dec | Conductive | Moderate | Unilateral | 8 |
| FV | 2020 Oct-Dec | Conductive | Moderate | Bilateral | 9 |
| FV | 2020 Oct-Dec | Sensorineural | Moderate | Unilateral | 5 |
| FV | 2020 Oct-Dec | Sensorineural | Moderate | Bilateral | 30 |
| FV | 2020 Oct-Dec | Mixed | Moderate | Unilateral | 0 |
| FV | 2020 Oct-Dec | Mixed | Moderate | Bilateral | <5 |
| FV | 2020 Oct-Dec | ANSD | Moderate | Unilateral | 0 |
| FV | 2020 Oct-Dec | ANSD | Moderate | Bilateral | 0 |
| FV | 2020 Oct-Dec | Undefined | Moderate | Unilateral | 0 |
| FV | 2020 Oct-Dec | Undefined | Moderate | Bilateral | 0 |
| FV | 2020 Oct-Dec | Conductive | Severe | Unilateral | 0 |
| FV | 2020 Oct-Dec | Conductive | Severe | Bilateral | 0 |
| FV | 2020 Oct-Dec | Sensorineural | Severe | Unilateral | 10 |
| FV | 2020 Oct-Dec | Sensorineural | Severe | Bilateral | 20 |
| FV | 2020 Oct-Dec | Mixed | Severe | Unilateral | 0 |
| FV | 2020 Oct-Dec | Mixed | Severe | Bilateral | 0 |
| FV | 2020 Oct-Dec | ANSD | Severe | Unilateral | 0 |
| FV | 2020 Oct-Dec | ANSD | Severe | Bilateral | <5 |

| | | | | | |
|----|--------------|---------------|--------------|------------|----|
| FV | 2020 Oct-Dec | Undefined | Severe | Unilateral | 0 |
| FV | 2020 Oct-Dec | Undefined | Severe | Bilateral | 0 |
| FV | 2020 Oct-Dec | Conductive | Profound | Unilateral | 0 |
| FV | 2020 Oct-Dec | Conductive | Profound | Bilateral | 0 |
| FV | 2020 Oct-Dec | Sensorineural | Profound | Unilateral | <5 |
| FV | 2020 Oct-Dec | Sensorineural | Profound | Bilateral | 6 |
| FV | 2020 Oct-Dec | Mixed | Profound | Unilateral | 0 |
| FV | 2020 Oct-Dec | Mixed | Profound | Bilateral | 0 |
| FV | 2020 Oct-Dec | ANSD | Profound | Unilateral | 0 |
| FV | 2020 Oct-Dec | ANSD | Profound | Bilateral | 0 |
| FV | 2020 Oct-Dec | Undefined | Profound | Unilateral | 0 |
| FV | 2020 Oct-Dec | Undefined | Profound | Bilateral | 0 |
| FV | 2020 Oct-Dec | Conductive | Unclassified | Unilateral | 0 |
| FV | 2020 Oct-Dec | Conductive | Unclassified | Bilateral | 0 |
| FV | 2020 Oct-Dec | Sensorineural | Unclassified | Unilateral | 0 |
| FV | 2020 Oct-Dec | Sensorineural | Unclassified | Bilateral | 0 |
| FV | 2020 Oct-Dec | Mixed | Unclassified | Unilateral | 0 |
| FV | 2020 Oct-Dec | Mixed | Unclassified | Bilateral | 0 |
| FV | 2020 Oct-Dec | ANSD | Unclassified | Unilateral | 0 |
| FV | 2020 Oct-Dec | ANSD | Unclassified | Bilateral | 0 |
| FV | 2020 Oct-Dec | Undefined | Unclassified | Unilateral | 0 |
| FV | 2020 Oct-Dec | Undefined | Unclassified | Bilateral | 0 |
| FV | 2021 Apr-Jun | Conductive | Mild | Unilateral | 5 |
| FV | 2021 Apr-Jun | Conductive | Mild | Bilateral | 14 |
| FV | 2021 Apr-Jun | Sensorineural | Mild | Unilateral | 6 |
| FV | 2021 Apr-Jun | Sensorineural | Mild | Bilateral | 27 |
| FV | 2021 Apr-Jun | Mixed | Mild | Unilateral | <5 |
| FV | 2021 Apr-Jun | Mixed | Mild | Bilateral | <5 |
| FV | 2021 Apr-Jun | ANSD | Mild | Unilateral | 0 |
| FV | 2021 Apr-Jun | ANSD | Mild | Bilateral | <5 |
| FV | 2021 Apr-Jun | Undefined | Mild | Unilateral | 0 |
| FV | 2021 Apr-Jun | Undefined | Mild | Bilateral | 0 |
| FV | 2021 Apr-Jun | Conductive | Moderate | Unilateral | 5 |
| FV | 2021 Apr-Jun | Conductive | Moderate | Bilateral | 7 |
| FV | 2021 Apr-Jun | Sensorineural | Moderate | Unilateral | <5 |
| FV | 2021 Apr-Jun | Sensorineural | Moderate | Bilateral | 16 |
| FV | 2021 Apr-Jun | Mixed | Moderate | Unilateral | 0 |
| FV | 2021 Apr-Jun | Mixed | Moderate | Bilateral | <5 |
| FV | 2021 Apr-Jun | ANSD | Moderate | Unilateral | 0 |
| FV | 2021 Apr-Jun | ANSD | Moderate | Bilateral | 0 |
| FV | 2021 Apr-Jun | Undefined | Moderate | Unilateral | 0 |
| FV | 2021 Apr-Jun | Undefined | Moderate | Bilateral | 0 |
| FV | 2021 Apr-Jun | Conductive | Severe | Unilateral | <5 |
| FV | 2021 Apr-Jun | Conductive | Severe | Bilateral | 0 |
| FV | 2021 Apr-Jun | Sensorineural | Severe | Unilateral | 0 |
| FV | 2021 Apr-Jun | Sensorineural | Severe | Bilateral | 6 |
| FV | 2021 Apr-Jun | Mixed | Severe | Unilateral | 0 |
| FV | 2021 Apr-Jun | Mixed | Severe | Bilateral | 0 |
| FV | 2021 Apr-Jun | ANSD | Severe | Unilateral | 0 |
| FV | 2021 Apr-Jun | ANSD | Severe | Bilateral | 0 |

| | | | | | |
|------|--------------|---------------|--------------|------------|----|
| FV | 2021 Apr-Jun | Undefined | Severe | Unilateral | 0 |
| FV | 2021 Apr-Jun | Undefined | Severe | Bilateral | 0 |
| FV | 2021 Apr-Jun | Conductive | Profound | Unilateral | 0 |
| FV | 2021 Apr-Jun | Conductive | Profound | Bilateral | 0 |
| FV | 2021 Apr-Jun | Sensorineural | Profound | Unilateral | 0 |
| FV | 2021 Apr-Jun | Sensorineural | Profound | Bilateral | <5 |
| FV | 2021 Apr-Jun | Mixed | Profound | Unilateral | 0 |
| FV | 2021 Apr-Jun | Mixed | Profound | Bilateral | 0 |
| FV | 2021 Apr-Jun | ANSD | Profound | Unilateral | 0 |
| FV | 2021 Apr-Jun | ANSD | Profound | Bilateral | 0 |
| FV | 2021 Apr-Jun | Undefined | Profound | Unilateral | 0 |
| FV | 2021 Apr-Jun | Undefined | Profound | Bilateral | 0 |
| FV | 2021 Apr-Jun | Conductive | Unclassified | Unilateral | 0 |
| FV | 2021 Apr-Jun | Conductive | Unclassified | Bilateral | 0 |
| FV | 2021 Apr-Jun | Sensorineural | Unclassified | Unilateral | 0 |
| FV | 2021 Apr-Jun | Sensorineural | Unclassified | Bilateral | 0 |
| FV | 2021 Apr-Jun | Mixed | Unclassified | Unilateral | 0 |
| FV | 2021 Apr-Jun | Mixed | Unclassified | Bilateral | 0 |
| FV | 2021 Apr-Jun | ANSD | Unclassified | Unilateral | 0 |
| FV | 2021 Apr-Jun | ANSD | Unclassified | Bilateral | 0 |
| FV | 2021 Apr-Jun | Undefined | Unclassified | Unilateral | 0 |
| FV | 2021 Apr-Jun | Undefined | Unclassified | Bilateral | 0 |
| GRAM | 2021 Jan-Mar | Conductive | Mild | Unilateral | 0 |
| GRAM | 2021 Jan-Mar | Conductive | Mild | Bilateral | <5 |
| GRAM | 2021 Jan-Mar | Sensorineural | Mild | Unilateral | <5 |
| GRAM | 2021 Jan-Mar | Sensorineural | Mild | Bilateral | 8 |
| GRAM | 2021 Jan-Mar | Mixed | Mild | Unilateral | <5 |
| GRAM | 2021 Jan-Mar | Mixed | Mild | Bilateral | 0 |
| GRAM | 2021 Jan-Mar | ANSD | Mild | Unilateral | 0 |
| GRAM | 2021 Jan-Mar | ANSD | Mild | Bilateral | 0 |
| GRAM | 2021 Jan-Mar | Undefined | Mild | Unilateral | 0 |
| GRAM | 2021 Jan-Mar | Undefined | Mild | Bilateral | 0 |
| GRAM | 2021 Jan-Mar | Conductive | Moderate | Unilateral | <5 |
| GRAM | 2021 Jan-Mar | Conductive | Moderate | Bilateral | <5 |
| GRAM | 2021 Jan-Mar | Sensorineural | Moderate | Unilateral | <5 |
| GRAM | 2021 Jan-Mar | Sensorineural | Moderate | Bilateral | 19 |
| GRAM | 2021 Jan-Mar | Mixed | Moderate | Unilateral | <5 |
| GRAM | 2021 Jan-Mar | Mixed | Moderate | Bilateral | <5 |
| GRAM | 2021 Jan-Mar | ANSD | Moderate | Unilateral | 0 |
| GRAM | 2021 Jan-Mar | ANSD | Moderate | Bilateral | 0 |
| GRAM | 2021 Jan-Mar | Undefined | Moderate | Unilateral | 0 |
| GRAM | 2021 Jan-Mar | Undefined | Moderate | Bilateral | 0 |
| GRAM | 2021 Jan-Mar | Conductive | Severe | Unilateral | 0 |
| GRAM | 2021 Jan-Mar | Conductive | Severe | Bilateral | 0 |
| GRAM | 2021 Jan-Mar | Sensorineural | Severe | Unilateral | <5 |
| GRAM | 2021 Jan-Mar | Sensorineural | Severe | Bilateral | 8 |
| GRAM | 2021 Jan-Mar | Mixed | Severe | Unilateral | 0 |
| GRAM | 2021 Jan-Mar | Mixed | Severe | Bilateral | 0 |
| GRAM | 2021 Jan-Mar | ANSD | Severe | Unilateral | 0 |
| GRAM | 2021 Jan-Mar | ANSD | Severe | Bilateral | 0 |

| | | | | | |
|------|--------------|---------------|--------------|------------|----|
| GRAM | 2021 Jan-Mar | Undefined | Severe | Unilateral | 0 |
| GRAM | 2021 Jan-Mar | Undefined | Severe | Bilateral | 0 |
| GRAM | 2021 Jan-Mar | Conductive | Profound | Unilateral | 0 |
| GRAM | 2021 Jan-Mar | Conductive | Profound | Bilateral | 0 |
| GRAM | 2021 Jan-Mar | Sensorineural | Profound | Unilateral | <5 |
| GRAM | 2021 Jan-Mar | Sensorineural | Profound | Bilateral | <5 |
| GRAM | 2021 Jan-Mar | Mixed | Profound | Unilateral | 0 |
| GRAM | 2021 Jan-Mar | Mixed | Profound | Bilateral | 0 |
| GRAM | 2021 Jan-Mar | ANSD | Profound | Unilateral | 0 |
| GRAM | 2021 Jan-Mar | ANSD | Profound | Bilateral | 0 |
| GRAM | 2021 Jan-Mar | Undefined | Profound | Unilateral | 0 |
| GRAM | 2021 Jan-Mar | Undefined | Profound | Bilateral | 0 |
| GRAM | 2021 Jan-Mar | Conductive | Unclassified | Unilateral | 0 |
| GRAM | 2021 Jan-Mar | Conductive | Unclassified | Bilateral | 0 |
| GRAM | 2021 Jan-Mar | Sensorineural | Unclassified | Unilateral | 0 |
| GRAM | 2021 Jan-Mar | Sensorineural | Unclassified | Bilateral | <5 |
| GRAM | 2021 Jan-Mar | Mixed | Unclassified | Unilateral | 0 |
| GRAM | 2021 Jan-Mar | Mixed | Unclassified | Bilateral | 0 |
| GRAM | 2021 Jan-Mar | ANSD | Unclassified | Unilateral | 0 |
| GRAM | 2021 Jan-Mar | ANSD | Unclassified | Bilateral | 0 |
| GRAM | 2021 Jan-Mar | Undefined | Unclassified | Unilateral | 0 |
| GRAM | 2021 Jan-Mar | Undefined | Unclassified | Bilateral | 0 |
| GRAM | 2020 Oct-Dec | Conductive | Mild | Unilateral | <5 |
| GRAM | 2020 Oct-Dec | Conductive | Mild | Bilateral | 5 |
| GRAM | 2020 Oct-Dec | Sensorineural | Mild | Unilateral | <5 |
| GRAM | 2020 Oct-Dec | Sensorineural | Mild | Bilateral | 11 |
| GRAM | 2020 Oct-Dec | Mixed | Mild | Unilateral | <5 |
| GRAM | 2020 Oct-Dec | Mixed | Mild | Bilateral | 0 |
| GRAM | 2020 Oct-Dec | ANSD | Mild | Unilateral | 0 |
| GRAM | 2020 Oct-Dec | ANSD | Mild | Bilateral | 0 |
| GRAM | 2020 Oct-Dec | Undefined | Mild | Unilateral | 0 |
| GRAM | 2020 Oct-Dec | Undefined | Mild | Bilateral | 0 |
| GRAM | 2020 Oct-Dec | Conductive | Moderate | Unilateral | <5 |
| GRAM | 2020 Oct-Dec | Conductive | Moderate | Bilateral | <5 |
| GRAM | 2020 Oct-Dec | Sensorineural | Moderate | Unilateral | 5 |
| GRAM | 2020 Oct-Dec | Sensorineural | Moderate | Bilateral | 26 |
| GRAM | 2020 Oct-Dec | Mixed | Moderate | Unilateral | <5 |
| GRAM | 2020 Oct-Dec | Mixed | Moderate | Bilateral | <5 |
| GRAM | 2020 Oct-Dec | ANSD | Moderate | Unilateral | 0 |
| GRAM | 2020 Oct-Dec | ANSD | Moderate | Bilateral | 0 |
| GRAM | 2020 Oct-Dec | Undefined | Moderate | Unilateral | 0 |
| GRAM | 2020 Oct-Dec | Undefined | Moderate | Bilateral | 0 |
| GRAM | 2020 Oct-Dec | Conductive | Severe | Unilateral | <5 |
| GRAM | 2020 Oct-Dec | Conductive | Severe | Bilateral | 0 |
| GRAM | 2020 Oct-Dec | Sensorineural | Severe | Unilateral | 0 |
| GRAM | 2020 Oct-Dec | Sensorineural | Severe | Bilateral | 6 |
| GRAM | 2020 Oct-Dec | Mixed | Severe | Unilateral | 0 |
| GRAM | 2020 Oct-Dec | Mixed | Severe | Bilateral | <5 |
| GRAM | 2020 Oct-Dec | ANSD | Severe | Unilateral | 0 |
| GRAM | 2020 Oct-Dec | ANSD | Severe | Bilateral | 0 |

| | | | | | |
|------|--------------|---------------|--------------|------------|----|
| GRAM | 2020 Oct-Dec | Undefined | Severe | Unilateral | 0 |
| GRAM | 2020 Oct-Dec | Undefined | Severe | Bilateral | 0 |
| GRAM | 2020 Oct-Dec | Conductive | Profound | Unilateral | 0 |
| GRAM | 2020 Oct-Dec | Conductive | Profound | Bilateral | 0 |
| GRAM | 2020 Oct-Dec | Sensorineural | Profound | Unilateral | <5 |
| GRAM | 2020 Oct-Dec | Sensorineural | Profound | Bilateral | <5 |
| GRAM | 2020 Oct-Dec | Mixed | Profound | Unilateral | 0 |
| GRAM | 2020 Oct-Dec | Mixed | Profound | Bilateral | 0 |
| GRAM | 2020 Oct-Dec | ANSD | Profound | Unilateral | 0 |
| GRAM | 2020 Oct-Dec | ANSD | Profound | Bilateral | 0 |
| GRAM | 2020 Oct-Dec | Undefined | Profound | Unilateral | 0 |
| GRAM | 2020 Oct-Dec | Undefined | Profound | Bilateral | 0 |
| GRAM | 2020 Oct-Dec | Conductive | Unclassified | Unilateral | 0 |
| GRAM | 2020 Oct-Dec | Conductive | Unclassified | Bilateral | 0 |
| GRAM | 2020 Oct-Dec | Sensorineural | Unclassified | Unilateral | 0 |
| GRAM | 2020 Oct-Dec | Sensorineural | Unclassified | Bilateral | 0 |
| GRAM | 2020 Oct-Dec | Mixed | Unclassified | Unilateral | 0 |
| GRAM | 2020 Oct-Dec | Mixed | Unclassified | Bilateral | 0 |
| GRAM | 2020 Oct-Dec | ANSD | Unclassified | Unilateral | 0 |
| GRAM | 2020 Oct-Dec | ANSD | Unclassified | Bilateral | 0 |
| GRAM | 2020 Oct-Dec | Undefined | Unclassified | Unilateral | 0 |
| GRAM | 2020 Oct-Dec | Undefined | Unclassified | Bilateral | 0 |
| GRAM | 2021 Apr-Jun | Conductive | Mild | Unilateral | <5 |
| GRAM | 2021 Apr-Jun | Conductive | Mild | Bilateral | 6 |
| GRAM | 2021 Apr-Jun | Sensorineural | Mild | Unilateral | 0 |
| GRAM | 2021 Apr-Jun | Sensorineural | Mild | Bilateral | 5 |
| GRAM | 2021 Apr-Jun | Mixed | Mild | Unilateral | 0 |
| GRAM | 2021 Apr-Jun | Mixed | Mild | Bilateral | 0 |
| GRAM | 2021 Apr-Jun | ANSD | Mild | Unilateral | 0 |
| GRAM | 2021 Apr-Jun | ANSD | Mild | Bilateral | 0 |
| GRAM | 2021 Apr-Jun | Undefined | Mild | Unilateral | 0 |
| GRAM | 2021 Apr-Jun | Undefined | Mild | Bilateral | 0 |
| GRAM | 2021 Apr-Jun | Conductive | Moderate | Unilateral | <5 |
| GRAM | 2021 Apr-Jun | Conductive | Moderate | Bilateral | <5 |
| GRAM | 2021 Apr-Jun | Sensorineural | Moderate | Unilateral | <5 |
| GRAM | 2021 Apr-Jun | Sensorineural | Moderate | Bilateral | 12 |
| GRAM | 2021 Apr-Jun | Mixed | Moderate | Unilateral | <5 |
| GRAM | 2021 Apr-Jun | Mixed | Moderate | Bilateral | <5 |
| GRAM | 2021 Apr-Jun | ANSD | Moderate | Unilateral | 0 |
| GRAM | 2021 Apr-Jun | ANSD | Moderate | Bilateral | 0 |
| GRAM | 2021 Apr-Jun | Undefined | Moderate | Unilateral | 0 |
| GRAM | 2021 Apr-Jun | Undefined | Moderate | Bilateral | 0 |
| GRAM | 2021 Apr-Jun | Conductive | Severe | Unilateral | 0 |
| GRAM | 2021 Apr-Jun | Conductive | Severe | Bilateral | 0 |
| GRAM | 2021 Apr-Jun | Sensorineural | Severe | Unilateral | <5 |
| GRAM | 2021 Apr-Jun | Sensorineural | Severe | Bilateral | <5 |
| GRAM | 2021 Apr-Jun | Mixed | Severe | Unilateral | <5 |
| GRAM | 2021 Apr-Jun | Mixed | Severe | Bilateral | 0 |
| GRAM | 2021 Apr-Jun | ANSD | Severe | Unilateral | 0 |
| GRAM | 2021 Apr-Jun | ANSD | Severe | Bilateral | 0 |

| | | | | | |
|------|--------------|---------------|--------------|------------|----|
| GRAM | 2021 Apr-Jun | Undefined | Severe | Unilateral | 0 |
| GRAM | 2021 Apr-Jun | Undefined | Severe | Bilateral | 0 |
| GRAM | 2021 Apr-Jun | Conductive | Profound | Unilateral | 0 |
| GRAM | 2021 Apr-Jun | Conductive | Profound | Bilateral | 0 |
| GRAM | 2021 Apr-Jun | Sensorineural | Profound | Unilateral | 0 |
| GRAM | 2021 Apr-Jun | Sensorineural | Profound | Bilateral | <5 |
| GRAM | 2021 Apr-Jun | Mixed | Profound | Unilateral | 0 |
| GRAM | 2021 Apr-Jun | Mixed | Profound | Bilateral | 0 |
| GRAM | 2021 Apr-Jun | ANSD | Profound | Unilateral | 0 |
| GRAM | 2021 Apr-Jun | ANSD | Profound | Bilateral | 0 |
| GRAM | 2021 Apr-Jun | Undefined | Profound | Unilateral | 0 |
| GRAM | 2021 Apr-Jun | Undefined | Profound | Bilateral | 0 |
| GRAM | 2021 Apr-Jun | Conductive | Unclassified | Unilateral | 0 |
| GRAM | 2021 Apr-Jun | Conductive | Unclassified | Bilateral | 0 |
| GRAM | 2021 Apr-Jun | Sensorineural | Unclassified | Unilateral | 0 |
| GRAM | 2021 Apr-Jun | Sensorineural | Unclassified | Bilateral | 0 |
| GRAM | 2021 Apr-Jun | Mixed | Unclassified | Unilateral | 0 |
| GRAM | 2021 Apr-Jun | Mixed | Unclassified | Bilateral | 0 |
| GRAM | 2021 Apr-Jun | ANSD | Unclassified | Unilateral | 0 |
| GRAM | 2021 Apr-Jun | ANSD | Unclassified | Bilateral | 0 |
| GRAM | 2021 Apr-Jun | Undefined | Unclassified | Unilateral | 0 |
| GRAM | 2021 Apr-Jun | Undefined | Unclassified | Bilateral | 0 |
| HIGH | 2021 Apr-Jun | Conductive | Mild | Unilateral | 37 |
| HIGH | 2021 Apr-Jun | Conductive | Mild | Bilateral | 41 |
| HIGH | 2021 Apr-Jun | Sensorineural | Mild | Unilateral | 18 |
| HIGH | 2021 Apr-Jun | Sensorineural | Mild | Bilateral | 47 |
| HIGH | 2021 Apr-Jun | Mixed | Mild | Unilateral | <5 |
| HIGH | 2021 Apr-Jun | Mixed | Mild | Bilateral | 7 |
| HIGH | 2021 Apr-Jun | ANSD | Mild | Unilateral | 0 |
| HIGH | 2021 Apr-Jun | ANSD | Mild | Bilateral | 0 |
| HIGH | 2021 Apr-Jun | Undefined | Mild | Unilateral | 0 |
| HIGH | 2021 Apr-Jun | Undefined | Mild | Bilateral | <5 |
| HIGH | 2021 Apr-Jun | Conductive | Moderate | Unilateral | 14 |
| HIGH | 2021 Apr-Jun | Conductive | Moderate | Bilateral | <5 |
| HIGH | 2021 Apr-Jun | Sensorineural | Moderate | Unilateral | 6 |
| HIGH | 2021 Apr-Jun | Sensorineural | Moderate | Bilateral | 23 |
| HIGH | 2021 Apr-Jun | Mixed | Moderate | Unilateral | <5 |
| HIGH | 2021 Apr-Jun | Mixed | Moderate | Bilateral | 5 |
| HIGH | 2021 Apr-Jun | ANSD | Moderate | Unilateral | 0 |
| HIGH | 2021 Apr-Jun | ANSD | Moderate | Bilateral | 0 |
| HIGH | 2021 Apr-Jun | Undefined | Moderate | Unilateral | 0 |
| HIGH | 2021 Apr-Jun | Undefined | Moderate | Bilateral | <5 |
| HIGH | 2021 Apr-Jun | Conductive | Severe | Unilateral | 0 |
| HIGH | 2021 Apr-Jun | Conductive | Severe | Bilateral | 0 |
| HIGH | 2021 Apr-Jun | Sensorineural | Severe | Unilateral | 6 |
| HIGH | 2021 Apr-Jun | Sensorineural | Severe | Bilateral | 11 |
| HIGH | 2021 Apr-Jun | Mixed | Severe | Unilateral | <5 |
| HIGH | 2021 Apr-Jun | Mixed | Severe | Bilateral | 0 |
| HIGH | 2021 Apr-Jun | ANSD | Severe | Unilateral | 0 |
| HIGH | 2021 Apr-Jun | ANSD | Severe | Bilateral | 0 |

| | | | | | |
|------|--------------|---------------|--------------|------------|----|
| HIGH | 2021 Apr-Jun | Undefined | Severe | Unilateral | 0 |
| HIGH | 2021 Apr-Jun | Undefined | Severe | Bilateral | 0 |
| HIGH | 2021 Apr-Jun | Conductive | Profound | Unilateral | 0 |
| HIGH | 2021 Apr-Jun | Conductive | Profound | Bilateral | 0 |
| HIGH | 2021 Apr-Jun | Sensorineural | Profound | Unilateral | 10 |
| HIGH | 2021 Apr-Jun | Sensorineural | Profound | Bilateral | 7 |
| HIGH | 2021 Apr-Jun | Mixed | Profound | Unilateral | 0 |
| HIGH | 2021 Apr-Jun | Mixed | Profound | Bilateral | 0 |
| HIGH | 2021 Apr-Jun | ANSD | Profound | Unilateral | 0 |
| HIGH | 2021 Apr-Jun | ANSD | Profound | Bilateral | 0 |
| HIGH | 2021 Apr-Jun | Undefined | Profound | Unilateral | 0 |
| HIGH | 2021 Apr-Jun | Undefined | Profound | Bilateral | 0 |
| HIGH | 2021 Apr-Jun | Conductive | Unclassified | Unilateral | 0 |
| HIGH | 2021 Apr-Jun | Conductive | Unclassified | Bilateral | <5 |
| HIGH | 2021 Apr-Jun | Sensorineural | Unclassified | Unilateral | 0 |
| HIGH | 2021 Apr-Jun | Sensorineural | Unclassified | Bilateral | 0 |
| HIGH | 2021 Apr-Jun | Mixed | Unclassified | Unilateral | 0 |
| HIGH | 2021 Apr-Jun | Mixed | Unclassified | Bilateral | 0 |
| HIGH | 2021 Apr-Jun | ANSD | Unclassified | Unilateral | 0 |
| HIGH | 2021 Apr-Jun | ANSD | Unclassified | Bilateral | <5 |
| HIGH | 2021 Apr-Jun | Undefined | Unclassified | Unilateral | <5 |
| HIGH | 2021 Apr-Jun | Undefined | Unclassified | Bilateral | <5 |
| LAN | 2021 Jan-Mar | Conductive | Mild | Unilateral | 9 |
| LAN | 2021 Jan-Mar | Conductive | Mild | Bilateral | 7 |
| LAN | 2021 Jan-Mar | Sensorineural | Mild | Unilateral | 15 |
| LAN | 2021 Jan-Mar | Sensorineural | Mild | Bilateral | 33 |
| LAN | 2021 Jan-Mar | Mixed | Mild | Unilateral | <5 |
| LAN | 2021 Jan-Mar | Mixed | Mild | Bilateral | <5 |
| LAN | 2021 Jan-Mar | ANSD | Mild | Unilateral | 0 |
| LAN | 2021 Jan-Mar | ANSD | Mild | Bilateral | 0 |
| LAN | 2021 Jan-Mar | Undefined | Mild | Unilateral | 0 |
| LAN | 2021 Jan-Mar | Undefined | Mild | Bilateral | 0 |
| LAN | 2021 Jan-Mar | Conductive | Moderate | Unilateral | 0 |
| LAN | 2021 Jan-Mar | Conductive | Moderate | Bilateral | <5 |
| LAN | 2021 Jan-Mar | Sensorineural | Moderate | Unilateral | 8 |
| LAN | 2021 Jan-Mar | Sensorineural | Moderate | Bilateral | 75 |
| LAN | 2021 Jan-Mar | Mixed | Moderate | Unilateral | 0 |
| LAN | 2021 Jan-Mar | Mixed | Moderate | Bilateral | <5 |
| LAN | 2021 Jan-Mar | ANSD | Moderate | Unilateral | 0 |
| LAN | 2021 Jan-Mar | ANSD | Moderate | Bilateral | 0 |
| LAN | 2021 Jan-Mar | Undefined | Moderate | Unilateral | 0 |
| LAN | 2021 Jan-Mar | Undefined | Moderate | Bilateral | 0 |
| LAN | 2021 Jan-Mar | Conductive | Severe | Unilateral | 0 |
| LAN | 2021 Jan-Mar | Conductive | Severe | Bilateral | 0 |
| LAN | 2021 Jan-Mar | Sensorineural | Severe | Unilateral | 5 |
| LAN | 2021 Jan-Mar | Sensorineural | Severe | Bilateral | 17 |
| LAN | 2021 Jan-Mar | Mixed | Severe | Unilateral | 0 |
| LAN | 2021 Jan-Mar | Mixed | Severe | Bilateral | 0 |
| LAN | 2021 Jan-Mar | ANSD | Severe | Unilateral | 0 |
| LAN | 2021 Jan-Mar | ANSD | Severe | Bilateral | 0 |

| | | | | | |
|-----|--------------|---------------|--------------|------------|----|
| LAN | 2021 Jan-Mar | Undefined | Severe | Unilateral | 0 |
| LAN | 2021 Jan-Mar | Undefined | Severe | Bilateral | 0 |
| LAN | 2021 Jan-Mar | Conductive | Profound | Unilateral | 0 |
| LAN | 2021 Jan-Mar | Conductive | Profound | Bilateral | 0 |
| LAN | 2021 Jan-Mar | Sensorineural | Profound | Unilateral | <5 |
| LAN | 2021 Jan-Mar | Sensorineural | Profound | Bilateral | 10 |
| LAN | 2021 Jan-Mar | Mixed | Profound | Unilateral | <5 |
| LAN | 2021 Jan-Mar | Mixed | Profound | Bilateral | 0 |
| LAN | 2021 Jan-Mar | ANSD | Profound | Unilateral | 0 |
| LAN | 2021 Jan-Mar | ANSD | Profound | Bilateral | 0 |
| LAN | 2021 Jan-Mar | Undefined | Profound | Unilateral | 0 |
| LAN | 2021 Jan-Mar | Undefined | Profound | Bilateral | 0 |
| LAN | 2021 Jan-Mar | Conductive | Unclassified | Unilateral | 0 |
| LAN | 2021 Jan-Mar | Conductive | Unclassified | Bilateral | 0 |
| LAN | 2021 Jan-Mar | Sensorineural | Unclassified | Unilateral | <5 |
| LAN | 2021 Jan-Mar | Sensorineural | Unclassified | Bilateral | <5 |
| LAN | 2021 Jan-Mar | Mixed | Unclassified | Unilateral | 0 |
| LAN | 2021 Jan-Mar | Mixed | Unclassified | Bilateral | <5 |
| LAN | 2021 Jan-Mar | ANSD | Unclassified | Unilateral | 0 |
| LAN | 2021 Jan-Mar | ANSD | Unclassified | Bilateral | 0 |
| LAN | 2021 Jan-Mar | Undefined | Unclassified | Unilateral | 0 |
| LAN | 2021 Jan-Mar | Undefined | Unclassified | Bilateral | 0 |
| LAN | 2020 Oct-Dec | Conductive | Mild | Unilateral | <5 |
| LAN | 2020 Oct-Dec | Conductive | Mild | Bilateral | <5 |
| LAN | 2020 Oct-Dec | Sensorineural | Mild | Unilateral | 15 |
| LAN | 2020 Oct-Dec | Sensorineural | Mild | Bilateral | 42 |
| LAN | 2020 Oct-Dec | Mixed | Mild | Unilateral | <5 |
| LAN | 2020 Oct-Dec | Mixed | Mild | Bilateral | <5 |
| LAN | 2020 Oct-Dec | ANSD | Mild | Unilateral | 0 |
| LAN | 2020 Oct-Dec | ANSD | Mild | Bilateral | 0 |
| LAN | 2020 Oct-Dec | Undefined | Mild | Unilateral | 0 |
| LAN | 2020 Oct-Dec | Undefined | Mild | Bilateral | 0 |
| LAN | 2020 Oct-Dec | Conductive | Moderate | Unilateral | <5 |
| LAN | 2020 Oct-Dec | Conductive | Moderate | Bilateral | 5 |
| LAN | 2020 Oct-Dec | Sensorineural | Moderate | Unilateral | 9 |
| LAN | 2020 Oct-Dec | Sensorineural | Moderate | Bilateral | 71 |
| LAN | 2020 Oct-Dec | Mixed | Moderate | Unilateral | 0 |
| LAN | 2020 Oct-Dec | Mixed | Moderate | Bilateral | <5 |
| LAN | 2020 Oct-Dec | ANSD | Moderate | Unilateral | 0 |
| LAN | 2020 Oct-Dec | ANSD | Moderate | Bilateral | 0 |
| LAN | 2020 Oct-Dec | Undefined | Moderate | Unilateral | 0 |
| LAN | 2020 Oct-Dec | Undefined | Moderate | Bilateral | 0 |
| LAN | 2020 Oct-Dec | Conductive | Severe | Unilateral | 0 |
| LAN | 2020 Oct-Dec | Conductive | Severe | Bilateral | 0 |
| LAN | 2020 Oct-Dec | Sensorineural | Severe | Unilateral | <5 |
| LAN | 2020 Oct-Dec | Sensorineural | Severe | Bilateral | 13 |
| LAN | 2020 Oct-Dec | Mixed | Severe | Unilateral | <5 |
| LAN | 2020 Oct-Dec | Mixed | Severe | Bilateral | <5 |
| LAN | 2020 Oct-Dec | ANSD | Severe | Unilateral | 0 |
| LAN | 2020 Oct-Dec | ANSD | Severe | Bilateral | 0 |

| | | | | | |
|-----|--------------|---------------|--------------|------------|----|
| LAN | 2020 Oct-Dec | Undefined | Severe | Unilateral | 0 |
| LAN | 2020 Oct-Dec | Undefined | Severe | Bilateral | 0 |
| LAN | 2020 Oct-Dec | Conductive | Profound | Unilateral | 0 |
| LAN | 2020 Oct-Dec | Conductive | Profound | Bilateral | 0 |
| LAN | 2020 Oct-Dec | Sensorineural | Profound | Unilateral | 6 |
| LAN | 2020 Oct-Dec | Sensorineural | Profound | Bilateral | 14 |
| LAN | 2020 Oct-Dec | Mixed | Profound | Unilateral | 0 |
| LAN | 2020 Oct-Dec | Mixed | Profound | Bilateral | 0 |
| LAN | 2020 Oct-Dec | ANSD | Profound | Unilateral | 0 |
| LAN | 2020 Oct-Dec | ANSD | Profound | Bilateral | 0 |
| LAN | 2020 Oct-Dec | Undefined | Profound | Unilateral | 0 |
| LAN | 2020 Oct-Dec | Undefined | Profound | Bilateral | 0 |
| LAN | 2020 Oct-Dec | Conductive | Unclassified | Unilateral | 0 |
| LAN | 2020 Oct-Dec | Conductive | Unclassified | Bilateral | 0 |
| LAN | 2020 Oct-Dec | Sensorineural | Unclassified | Unilateral | 0 |
| LAN | 2020 Oct-Dec | Sensorineural | Unclassified | Bilateral | 0 |
| LAN | 2020 Oct-Dec | Mixed | Unclassified | Unilateral | 0 |
| LAN | 2020 Oct-Dec | Mixed | Unclassified | Bilateral | 0 |
| LAN | 2020 Oct-Dec | ANSD | Unclassified | Unilateral | 0 |
| LAN | 2020 Oct-Dec | ANSD | Unclassified | Bilateral | 0 |
| LAN | 2020 Oct-Dec | Undefined | Unclassified | Unilateral | 0 |
| LAN | 2020 Oct-Dec | Undefined | Unclassified | Bilateral | 0 |
| LAN | 2021 Apr-Jun | Conductive | Mild | Unilateral | 8 |
| LAN | 2021 Apr-Jun | Conductive | Mild | Bilateral | 6 |
| LAN | 2021 Apr-Jun | Sensorineural | Mild | Unilateral | 18 |
| LAN | 2021 Apr-Jun | Sensorineural | Mild | Bilateral | 34 |
| LAN | 2021 Apr-Jun | Mixed | Mild | Unilateral | <5 |
| LAN | 2021 Apr-Jun | Mixed | Mild | Bilateral | <5 |
| LAN | 2021 Apr-Jun | ANSD | Mild | Unilateral | 0 |
| LAN | 2021 Apr-Jun | ANSD | Mild | Bilateral | 0 |
| LAN | 2021 Apr-Jun | Undefined | Mild | Unilateral | 0 |
| LAN | 2021 Apr-Jun | Undefined | Mild | Bilateral | 0 |
| LAN | 2021 Apr-Jun | Conductive | Moderate | Unilateral | <5 |
| LAN | 2021 Apr-Jun | Conductive | Moderate | Bilateral | 5 |
| LAN | 2021 Apr-Jun | Sensorineural | Moderate | Unilateral | 6 |
| LAN | 2021 Apr-Jun | Sensorineural | Moderate | Bilateral | 66 |
| LAN | 2021 Apr-Jun | Mixed | Moderate | Unilateral | <5 |
| LAN | 2021 Apr-Jun | Mixed | Moderate | Bilateral | 5 |
| LAN | 2021 Apr-Jun | ANSD | Moderate | Unilateral | 0 |
| LAN | 2021 Apr-Jun | ANSD | Moderate | Bilateral | 0 |
| LAN | 2021 Apr-Jun | Undefined | Moderate | Unilateral | 0 |
| LAN | 2021 Apr-Jun | Undefined | Moderate | Bilateral | 0 |
| LAN | 2021 Apr-Jun | Conductive | Severe | Unilateral | 0 |
| LAN | 2021 Apr-Jun | Conductive | Severe | Bilateral | 0 |
| LAN | 2021 Apr-Jun | Sensorineural | Severe | Unilateral | 6 |
| LAN | 2021 Apr-Jun | Sensorineural | Severe | Bilateral | 18 |
| LAN | 2021 Apr-Jun | Mixed | Severe | Unilateral | 0 |
| LAN | 2021 Apr-Jun | Mixed | Severe | Bilateral | <5 |
| LAN | 2021 Apr-Jun | ANSD | Severe | Unilateral | 0 |
| LAN | 2021 Apr-Jun | ANSD | Severe | Bilateral | 0 |

| | | | | | |
|-----|--------------|---------------|--------------|------------|-----|
| LAN | 2021 Apr-Jun | Undefined | Severe | Unilateral | 0 |
| LAN | 2021 Apr-Jun | Undefined | Severe | Bilateral | 0 |
| LAN | 2021 Apr-Jun | Conductive | Profound | Unilateral | <5 |
| LAN | 2021 Apr-Jun | Conductive | Profound | Bilateral | 0 |
| LAN | 2021 Apr-Jun | Sensorineural | Profound | Unilateral | <5 |
| LAN | 2021 Apr-Jun | Sensorineural | Profound | Bilateral | 13 |
| LAN | 2021 Apr-Jun | Mixed | Profound | Unilateral | 0 |
| LAN | 2021 Apr-Jun | Mixed | Profound | Bilateral | 0 |
| LAN | 2021 Apr-Jun | ANSD | Profound | Unilateral | 0 |
| LAN | 2021 Apr-Jun | ANSD | Profound | Bilateral | 0 |
| LAN | 2021 Apr-Jun | Undefined | Profound | Unilateral | 0 |
| LAN | 2021 Apr-Jun | Undefined | Profound | Bilateral | 0 |
| LAN | 2021 Apr-Jun | Conductive | Unclassified | Unilateral | 0 |
| LAN | 2021 Apr-Jun | Conductive | Unclassified | Bilateral | 0 |
| LAN | 2021 Apr-Jun | Sensorineural | Unclassified | Unilateral | 0 |
| LAN | 2021 Apr-Jun | Sensorineural | Unclassified | Bilateral | 6 |
| LAN | 2021 Apr-Jun | Mixed | Unclassified | Unilateral | 0 |
| LAN | 2021 Apr-Jun | Mixed | Unclassified | Bilateral | <5 |
| LAN | 2021 Apr-Jun | ANSD | Unclassified | Unilateral | 0 |
| LAN | 2021 Apr-Jun | ANSD | Unclassified | Bilateral | 0 |
| LAN | 2021 Apr-Jun | Undefined | Unclassified | Unilateral | 0 |
| LAN | 2021 Apr-Jun | Undefined | Unclassified | Bilateral | 0 |
| LOT | 2021 Jan-Mar | Conductive | Mild | Unilateral | 10 |
| LOT | 2021 Jan-Mar | Conductive | Mild | Bilateral | 13 |
| LOT | 2021 Jan-Mar | Sensorineural | Mild | Unilateral | 26 |
| LOT | 2021 Jan-Mar | Sensorineural | Mild | Bilateral | 82 |
| LOT | 2021 Jan-Mar | Mixed | Mild | Unilateral | <5 |
| LOT | 2021 Jan-Mar | Mixed | Mild | Bilateral | <5 |
| LOT | 2021 Jan-Mar | ANSD | Mild | Unilateral | 0 |
| LOT | 2021 Jan-Mar | ANSD | Mild | Bilateral | <5 |
| LOT | 2021 Jan-Mar | Undefined | Mild | Unilateral | 0 |
| LOT | 2021 Jan-Mar | Undefined | Mild | Bilateral | 0 |
| LOT | 2021 Jan-Mar | Conductive | Moderate | Unilateral | 31 |
| LOT | 2021 Jan-Mar | Conductive | Moderate | Bilateral | 29 |
| LOT | 2021 Jan-Mar | Sensorineural | Moderate | Unilateral | 18 |
| LOT | 2021 Jan-Mar | Sensorineural | Moderate | Bilateral | 120 |
| LOT | 2021 Jan-Mar | Mixed | Moderate | Unilateral | <5 |
| LOT | 2021 Jan-Mar | Mixed | Moderate | Bilateral | 9 |
| LOT | 2021 Jan-Mar | ANSD | Moderate | Unilateral | 8 |
| LOT | 2021 Jan-Mar | ANSD | Moderate | Bilateral | 9 |
| LOT | 2021 Jan-Mar | Undefined | Moderate | Unilateral | 0 |
| LOT | 2021 Jan-Mar | Undefined | Moderate | Bilateral | 0 |
| LOT | 2021 Jan-Mar | Conductive | Severe | Unilateral | 17 |
| LOT | 2021 Jan-Mar | Conductive | Severe | Bilateral | 8 |
| LOT | 2021 Jan-Mar | Sensorineural | Severe | Unilateral | 16 |
| LOT | 2021 Jan-Mar | Sensorineural | Severe | Bilateral | 27 |
| LOT | 2021 Jan-Mar | Mixed | Severe | Unilateral | <5 |
| LOT | 2021 Jan-Mar | Mixed | Severe | Bilateral | <5 |
| LOT | 2021 Jan-Mar | ANSD | Severe | Unilateral | 0 |
| LOT | 2021 Jan-Mar | ANSD | Severe | Bilateral | 0 |

| | | | | | |
|-----|--------------|---------------|--------------|------------|-----|
| LOT | 2021 Jan-Mar | Undefined | Severe | Unilateral | 0 |
| LOT | 2021 Jan-Mar | Undefined | Severe | Bilateral | 0 |
| LOT | 2021 Jan-Mar | Conductive | Profound | Unilateral | 0 |
| LOT | 2021 Jan-Mar | Conductive | Profound | Bilateral | 0 |
| LOT | 2021 Jan-Mar | Sensorineural | Profound | Unilateral | 47 |
| LOT | 2021 Jan-Mar | Sensorineural | Profound | Bilateral | 81 |
| LOT | 2021 Jan-Mar | Mixed | Profound | Unilateral | 0 |
| LOT | 2021 Jan-Mar | Mixed | Profound | Bilateral | <5 |
| LOT | 2021 Jan-Mar | ANSD | Profound | Unilateral | 0 |
| LOT | 2021 Jan-Mar | ANSD | Profound | Bilateral | 0 |
| LOT | 2021 Jan-Mar | Undefined | Profound | Unilateral | 0 |
| LOT | 2021 Jan-Mar | Undefined | Profound | Bilateral | 0 |
| LOT | 2021 Jan-Mar | Conductive | Unclassified | Unilateral | 0 |
| LOT | 2021 Jan-Mar | Conductive | Unclassified | Bilateral | 0 |
| LOT | 2021 Jan-Mar | Sensorineural | Unclassified | Unilateral | 0 |
| LOT | 2021 Jan-Mar | Sensorineural | Unclassified | Bilateral | <5 |
| LOT | 2021 Jan-Mar | Mixed | Unclassified | Unilateral | 0 |
| LOT | 2021 Jan-Mar | Mixed | Unclassified | Bilateral | 0 |
| LOT | 2021 Jan-Mar | ANSD | Unclassified | Unilateral | 0 |
| LOT | 2021 Jan-Mar | ANSD | Unclassified | Bilateral | 0 |
| LOT | 2021 Jan-Mar | Undefined | Unclassified | Unilateral | 0 |
| LOT | 2021 Jan-Mar | Undefined | Unclassified | Bilateral | 0 |
| LOT | 2020 Oct-Dec | Conductive | Mild | Unilateral | 14 |
| LOT | 2020 Oct-Dec | Conductive | Mild | Bilateral | 12 |
| LOT | 2020 Oct-Dec | Sensorineural | Mild | Unilateral | 19 |
| LOT | 2020 Oct-Dec | Sensorineural | Mild | Bilateral | 83 |
| LOT | 2020 Oct-Dec | Mixed | Mild | Unilateral | <5 |
| LOT | 2020 Oct-Dec | Mixed | Mild | Bilateral | <5 |
| LOT | 2020 Oct-Dec | ANSD | Mild | Unilateral | 12 |
| LOT | 2020 Oct-Dec | ANSD | Mild | Bilateral | 9 |
| LOT | 2020 Oct-Dec | Undefined | Mild | Unilateral | 0 |
| LOT | 2020 Oct-Dec | Undefined | Mild | Bilateral | 0 |
| LOT | 2020 Oct-Dec | Conductive | Moderate | Unilateral | 32 |
| LOT | 2020 Oct-Dec | Conductive | Moderate | Bilateral | 29 |
| LOT | 2020 Oct-Dec | Sensorineural | Moderate | Unilateral | 19 |
| LOT | 2020 Oct-Dec | Sensorineural | Moderate | Bilateral | 119 |
| LOT | 2020 Oct-Dec | Mixed | Moderate | Unilateral | <5 |
| LOT | 2020 Oct-Dec | Mixed | Moderate | Bilateral | 10 |
| LOT | 2020 Oct-Dec | ANSD | Moderate | Unilateral | 0 |
| LOT | 2020 Oct-Dec | ANSD | Moderate | Bilateral | 0 |
| LOT | 2020 Oct-Dec | Undefined | Moderate | Unilateral | 0 |
| LOT | 2020 Oct-Dec | Undefined | Moderate | Bilateral | 0 |
| LOT | 2020 Oct-Dec | Conductive | Severe | Unilateral | 20 |
| LOT | 2020 Oct-Dec | Conductive | Severe | Bilateral | 6 |
| LOT | 2020 Oct-Dec | Sensorineural | Severe | Unilateral | 17 |
| LOT | 2020 Oct-Dec | Sensorineural | Severe | Bilateral | 38 |
| LOT | 2020 Oct-Dec | Mixed | Severe | Unilateral | <5 |
| LOT | 2020 Oct-Dec | Mixed | Severe | Bilateral | <5 |
| LOT | 2020 Oct-Dec | ANSD | Severe | Unilateral | 0 |
| LOT | 2020 Oct-Dec | ANSD | Severe | Bilateral | 0 |

| | | | | | |
|-----|--------------|---------------|--------------|------------|-----|
| LOT | 2020 Oct-Dec | Undefined | Severe | Unilateral | 0 |
| LOT | 2020 Oct-Dec | Undefined | Severe | Bilateral | 0 |
| LOT | 2020 Oct-Dec | Conductive | Profound | Unilateral | 0 |
| LOT | 2020 Oct-Dec | Conductive | Profound | Bilateral | 0 |
| LOT | 2020 Oct-Dec | Sensorineural | Profound | Unilateral | 40 |
| LOT | 2020 Oct-Dec | Sensorineural | Profound | Bilateral | 78 |
| LOT | 2020 Oct-Dec | Mixed | Profound | Unilateral | 0 |
| LOT | 2020 Oct-Dec | Mixed | Profound | Bilateral | <5 |
| LOT | 2020 Oct-Dec | ANSD | Profound | Unilateral | 0 |
| LOT | 2020 Oct-Dec | ANSD | Profound | Bilateral | 0 |
| LOT | 2020 Oct-Dec | Undefined | Profound | Unilateral | 0 |
| LOT | 2020 Oct-Dec | Undefined | Profound | Bilateral | 0 |
| LOT | 2020 Oct-Dec | Conductive | Unclassified | Unilateral | 0 |
| LOT | 2020 Oct-Dec | Conductive | Unclassified | Bilateral | 0 |
| LOT | 2020 Oct-Dec | Sensorineural | Unclassified | Unilateral | 0 |
| LOT | 2020 Oct-Dec | Sensorineural | Unclassified | Bilateral | 0 |
| LOT | 2020 Oct-Dec | Mixed | Unclassified | Unilateral | 0 |
| LOT | 2020 Oct-Dec | Mixed | Unclassified | Bilateral | 0 |
| LOT | 2020 Oct-Dec | ANSD | Unclassified | Unilateral | 0 |
| LOT | 2020 Oct-Dec | ANSD | Unclassified | Bilateral | 0 |
| LOT | 2020 Oct-Dec | Undefined | Unclassified | Unilateral | 0 |
| LOT | 2020 Oct-Dec | Undefined | Unclassified | Bilateral | 0 |
| LOT | 2021 Apr-Jun | Conductive | Mild | Unilateral | 12 |
| LOT | 2021 Apr-Jun | Conductive | Mild | Bilateral | 15 |
| LOT | 2021 Apr-Jun | Sensorineural | Mild | Unilateral | 25 |
| LOT | 2021 Apr-Jun | Sensorineural | Mild | Bilateral | 85 |
| LOT | 2021 Apr-Jun | Mixed | Mild | Unilateral | <5 |
| LOT | 2021 Apr-Jun | Mixed | Mild | Bilateral | <5 |
| LOT | 2021 Apr-Jun | ANSD | Mild | Unilateral | 0 |
| LOT | 2021 Apr-Jun | ANSD | Mild | Bilateral | 0 |
| LOT | 2021 Apr-Jun | Undefined | Mild | Unilateral | 0 |
| LOT | 2021 Apr-Jun | Undefined | Mild | Bilateral | 0 |
| LOT | 2021 Apr-Jun | Conductive | Moderate | Unilateral | 37 |
| LOT | 2021 Apr-Jun | Conductive | Moderate | Bilateral | 26 |
| LOT | 2021 Apr-Jun | Sensorineural | Moderate | Unilateral | 17 |
| LOT | 2021 Apr-Jun | Sensorineural | Moderate | Bilateral | 121 |
| LOT | 2021 Apr-Jun | Mixed | Moderate | Unilateral | <5 |
| LOT | 2021 Apr-Jun | Mixed | Moderate | Bilateral | 8 |
| LOT | 2021 Apr-Jun | ANSD | Moderate | Unilateral | 0 |
| LOT | 2021 Apr-Jun | ANSD | Moderate | Bilateral | 0 |
| LOT | 2021 Apr-Jun | Undefined | Moderate | Unilateral | 0 |
| LOT | 2021 Apr-Jun | Undefined | Moderate | Bilateral | 0 |
| LOT | 2021 Apr-Jun | Conductive | Severe | Unilateral | 21 |
| LOT | 2021 Apr-Jun | Conductive | Severe | Bilateral | 8 |
| LOT | 2021 Apr-Jun | Sensorineural | Severe | Unilateral | 11 |
| LOT | 2021 Apr-Jun | Sensorineural | Severe | Bilateral | 26 |
| LOT | 2021 Apr-Jun | Mixed | Severe | Unilateral | <5 |
| LOT | 2021 Apr-Jun | Mixed | Severe | Bilateral | <5 |
| LOT | 2021 Apr-Jun | ANSD | Severe | Unilateral | 0 |
| LOT | 2021 Apr-Jun | ANSD | Severe | Bilateral | 0 |

| | | | | | |
|-----|--------------|---------------|--------------|------------|----|
| LOT | 2021 Apr-Jun | Undefined | Severe | Unilateral | 0 |
| LOT | 2021 Apr-Jun | Undefined | Severe | Bilateral | 0 |
| LOT | 2021 Apr-Jun | Conductive | Profound | Unilateral | <5 |
| LOT | 2021 Apr-Jun | Conductive | Profound | Bilateral | 0 |
| LOT | 2021 Apr-Jun | Sensorineural | Profound | Unilateral | 42 |
| LOT | 2021 Apr-Jun | Sensorineural | Profound | Bilateral | 78 |
| LOT | 2021 Apr-Jun | Mixed | Profound | Unilateral | <5 |
| LOT | 2021 Apr-Jun | Mixed | Profound | Bilateral | <5 |
| LOT | 2021 Apr-Jun | ANSD | Profound | Unilateral | 0 |
| LOT | 2021 Apr-Jun | ANSD | Profound | Bilateral | 0 |
| LOT | 2021 Apr-Jun | Undefined | Profound | Unilateral | 0 |
| LOT | 2021 Apr-Jun | Undefined | Profound | Bilateral | 0 |
| LOT | 2021 Apr-Jun | Conductive | Unclassified | Unilateral | 0 |
| LOT | 2021 Apr-Jun | Conductive | Unclassified | Bilateral | 0 |
| LOT | 2021 Apr-Jun | Sensorineural | Unclassified | Unilateral | 0 |
| LOT | 2021 Apr-Jun | Sensorineural | Unclassified | Bilateral | 0 |
| LOT | 2021 Apr-Jun | Mixed | Unclassified | Unilateral | 0 |
| LOT | 2021 Apr-Jun | Mixed | Unclassified | Bilateral | 0 |
| LOT | 2021 Apr-Jun | ANSD | Unclassified | Unilateral | 9 |
| LOT | 2021 Apr-Jun | ANSD | Unclassified | Bilateral | 9 |
| LOT | 2021 Apr-Jun | Undefined | Unclassified | Unilateral | 0 |
| LOT | 2021 Apr-Jun | Undefined | Unclassified | Bilateral | 0 |
| ORK | 2021 Jan-Mar | Conductive | Mild | Unilateral | 0 |
| ORK | 2021 Jan-Mar | Conductive | Mild | Bilateral | 0 |
| ORK | 2021 Jan-Mar | Sensorineural | Mild | Unilateral | <5 |
| ORK | 2021 Jan-Mar | Sensorineural | Mild | Bilateral | <5 |
| ORK | 2021 Jan-Mar | Mixed | Mild | Unilateral | 0 |
| ORK | 2021 Jan-Mar | Mixed | Mild | Bilateral | 0 |
| ORK | 2021 Jan-Mar | ANSD | Mild | Unilateral | 0 |
| ORK | 2021 Jan-Mar | ANSD | Mild | Bilateral | 0 |
| ORK | 2021 Jan-Mar | Undefined | Mild | Unilateral | 0 |
| ORK | 2021 Jan-Mar | Undefined | Mild | Bilateral | 0 |
| ORK | 2021 Jan-Mar | Conductive | Moderate | Unilateral | 0 |
| ORK | 2021 Jan-Mar | Conductive | Moderate | Bilateral | <5 |
| ORK | 2021 Jan-Mar | Sensorineural | Moderate | Unilateral | <5 |
| ORK | 2021 Jan-Mar | Sensorineural | Moderate | Bilateral | 5 |
| ORK | 2021 Jan-Mar | Mixed | Moderate | Unilateral | <5 |
| ORK | 2021 Jan-Mar | Mixed | Moderate | Bilateral | 0 |
| ORK | 2021 Jan-Mar | ANSD | Moderate | Unilateral | 0 |
| ORK | 2021 Jan-Mar | ANSD | Moderate | Bilateral | 0 |
| ORK | 2021 Jan-Mar | Undefined | Moderate | Unilateral | 0 |
| ORK | 2021 Jan-Mar | Undefined | Moderate | Bilateral | 0 |
| ORK | 2021 Jan-Mar | Conductive | Severe | Unilateral | 0 |
| ORK | 2021 Jan-Mar | Conductive | Severe | Bilateral | 0 |
| ORK | 2021 Jan-Mar | Sensorineural | Severe | Unilateral | 0 |
| ORK | 2021 Jan-Mar | Sensorineural | Severe | Bilateral | <5 |
| ORK | 2021 Jan-Mar | Mixed | Severe | Unilateral | 0 |
| ORK | 2021 Jan-Mar | Mixed | Severe | Bilateral | 0 |
| ORK | 2021 Jan-Mar | ANSD | Severe | Unilateral | 0 |
| ORK | 2021 Jan-Mar | ANSD | Severe | Bilateral | 0 |

| | | | | | |
|-----|--------------|---------------|--------------|------------|----|
| ORK | 2021 Jan-Mar | Undefined | Severe | Unilateral | 0 |
| ORK | 2021 Jan-Mar | Undefined | Severe | Bilateral | 0 |
| ORK | 2021 Jan-Mar | Conductive | Profound | Unilateral | 0 |
| ORK | 2021 Jan-Mar | Conductive | Profound | Bilateral | 0 |
| ORK | 2021 Jan-Mar | Sensorineural | Profound | Unilateral | <5 |
| ORK | 2021 Jan-Mar | Sensorineural | Profound | Bilateral | 0 |
| ORK | 2021 Jan-Mar | Mixed | Profound | Unilateral | 0 |
| ORK | 2021 Jan-Mar | Mixed | Profound | Bilateral | 0 |
| ORK | 2021 Jan-Mar | ANSD | Profound | Unilateral | 0 |
| ORK | 2021 Jan-Mar | ANSD | Profound | Bilateral | 0 |
| ORK | 2021 Jan-Mar | Undefined | Profound | Unilateral | 0 |
| ORK | 2021 Jan-Mar | Undefined | Profound | Bilateral | 0 |
| ORK | 2021 Jan-Mar | Conductive | Unclassified | Unilateral | 0 |
| ORK | 2021 Jan-Mar | Conductive | Unclassified | Bilateral | 0 |
| ORK | 2021 Jan-Mar | Sensorineural | Unclassified | Unilateral | 0 |
| ORK | 2021 Jan-Mar | Sensorineural | Unclassified | Bilateral | 0 |
| ORK | 2021 Jan-Mar | Mixed | Unclassified | Unilateral | 0 |
| ORK | 2021 Jan-Mar | Mixed | Unclassified | Bilateral | 0 |
| ORK | 2021 Jan-Mar | ANSD | Unclassified | Unilateral | 0 |
| ORK | 2021 Jan-Mar | ANSD | Unclassified | Bilateral | 0 |
| ORK | 2021 Jan-Mar | Undefined | Unclassified | Unilateral | 0 |
| ORK | 2021 Jan-Mar | Undefined | Unclassified | Bilateral | 0 |
| ORK | 2020 Oct-Dec | Conductive | Mild | Unilateral | 0 |
| ORK | 2020 Oct-Dec | Conductive | Mild | Bilateral | 0 |
| ORK | 2020 Oct-Dec | Sensorineural | Mild | Unilateral | <5 |
| ORK | 2020 Oct-Dec | Sensorineural | Mild | Bilateral | <5 |
| ORK | 2020 Oct-Dec | Mixed | Mild | Unilateral | 0 |
| ORK | 2020 Oct-Dec | Mixed | Mild | Bilateral | 0 |
| ORK | 2020 Oct-Dec | ANSD | Mild | Unilateral | 0 |
| ORK | 2020 Oct-Dec | ANSD | Mild | Bilateral | 0 |
| ORK | 2020 Oct-Dec | Undefined | Mild | Unilateral | 0 |
| ORK | 2020 Oct-Dec | Undefined | Mild | Bilateral | 0 |
| ORK | 2020 Oct-Dec | Conductive | Moderate | Unilateral | 0 |
| ORK | 2020 Oct-Dec | Conductive | Moderate | Bilateral | <5 |
| ORK | 2020 Oct-Dec | Sensorineural | Moderate | Unilateral | <5 |
| ORK | 2020 Oct-Dec | Sensorineural | Moderate | Bilateral | 5 |
| ORK | 2020 Oct-Dec | Mixed | Moderate | Unilateral | <5 |
| ORK | 2020 Oct-Dec | Mixed | Moderate | Bilateral | 0 |
| ORK | 2020 Oct-Dec | ANSD | Moderate | Unilateral | 0 |
| ORK | 2020 Oct-Dec | ANSD | Moderate | Bilateral | 0 |
| ORK | 2020 Oct-Dec | Undefined | Moderate | Unilateral | 0 |
| ORK | 2020 Oct-Dec | Undefined | Moderate | Bilateral | 0 |
| ORK | 2020 Oct-Dec | Conductive | Severe | Unilateral | 0 |
| ORK | 2020 Oct-Dec | Conductive | Severe | Bilateral | 0 |
| ORK | 2020 Oct-Dec | Sensorineural | Severe | Unilateral | 0 |
| ORK | 2020 Oct-Dec | Sensorineural | Severe | Bilateral | <5 |
| ORK | 2020 Oct-Dec | Mixed | Severe | Unilateral | 0 |
| ORK | 2020 Oct-Dec | Mixed | Severe | Bilateral | 0 |
| ORK | 2020 Oct-Dec | ANSD | Severe | Unilateral | 0 |
| ORK | 2020 Oct-Dec | ANSD | Severe | Bilateral | 0 |

| | | | | | |
|-----|--------------|---------------|--------------|------------|----|
| ORK | 2020 Oct-Dec | Undefined | Severe | Unilateral | 0 |
| ORK | 2020 Oct-Dec | Undefined | Severe | Bilateral | 0 |
| ORK | 2020 Oct-Dec | Conductive | Profound | Unilateral | 0 |
| ORK | 2020 Oct-Dec | Conductive | Profound | Bilateral | 0 |
| ORK | 2020 Oct-Dec | Sensorineural | Profound | Unilateral | <5 |
| ORK | 2020 Oct-Dec | Sensorineural | Profound | Bilateral | 0 |
| ORK | 2020 Oct-Dec | Mixed | Profound | Unilateral | 0 |
| ORK | 2020 Oct-Dec | Mixed | Profound | Bilateral | 0 |
| ORK | 2020 Oct-Dec | ANSD | Profound | Unilateral | 0 |
| ORK | 2020 Oct-Dec | ANSD | Profound | Bilateral | 0 |
| ORK | 2020 Oct-Dec | Undefined | Profound | Unilateral | 0 |
| ORK | 2020 Oct-Dec | Undefined | Profound | Bilateral | 0 |
| ORK | 2020 Oct-Dec | Conductive | Unclassified | Unilateral | 0 |
| ORK | 2020 Oct-Dec | Conductive | Unclassified | Bilateral | 0 |
| ORK | 2020 Oct-Dec | Sensorineural | Unclassified | Unilateral | 0 |
| ORK | 2020 Oct-Dec | Sensorineural | Unclassified | Bilateral | 0 |
| ORK | 2020 Oct-Dec | Mixed | Unclassified | Unilateral | 0 |
| ORK | 2020 Oct-Dec | Mixed | Unclassified | Bilateral | 0 |
| ORK | 2020 Oct-Dec | ANSD | Unclassified | Unilateral | 0 |
| ORK | 2020 Oct-Dec | ANSD | Unclassified | Bilateral | 0 |
| ORK | 2020 Oct-Dec | Undefined | Unclassified | Unilateral | 0 |
| ORK | 2020 Oct-Dec | Undefined | Unclassified | Bilateral | 0 |
| ORK | 2021 Apr-Jun | Conductive | Mild | Unilateral | 0 |
| ORK | 2021 Apr-Jun | Conductive | Mild | Bilateral | 0 |
| ORK | 2021 Apr-Jun | Sensorineural | Mild | Unilateral | <5 |
| ORK | 2021 Apr-Jun | Sensorineural | Mild | Bilateral | <5 |
| ORK | 2021 Apr-Jun | Mixed | Mild | Unilateral | 0 |
| ORK | 2021 Apr-Jun | Mixed | Mild | Bilateral | 0 |
| ORK | 2021 Apr-Jun | ANSD | Mild | Unilateral | 0 |
| ORK | 2021 Apr-Jun | ANSD | Mild | Bilateral | 0 |
| ORK | 2021 Apr-Jun | Undefined | Mild | Unilateral | 0 |
| ORK | 2021 Apr-Jun | Undefined | Mild | Bilateral | 0 |
| ORK | 2021 Apr-Jun | Conductive | Moderate | Unilateral | 0 |
| ORK | 2021 Apr-Jun | Conductive | Moderate | Bilateral | <5 |
| ORK | 2021 Apr-Jun | Sensorineural | Moderate | Unilateral | <5 |
| ORK | 2021 Apr-Jun | Sensorineural | Moderate | Bilateral | 5 |
| ORK | 2021 Apr-Jun | Mixed | Moderate | Unilateral | <5 |
| ORK | 2021 Apr-Jun | Mixed | Moderate | Bilateral | 0 |
| ORK | 2021 Apr-Jun | ANSD | Moderate | Unilateral | 0 |
| ORK | 2021 Apr-Jun | ANSD | Moderate | Bilateral | 0 |
| ORK | 2021 Apr-Jun | Undefined | Moderate | Unilateral | 0 |
| ORK | 2021 Apr-Jun | Undefined | Moderate | Bilateral | 0 |
| ORK | 2021 Apr-Jun | Conductive | Severe | Unilateral | 0 |
| ORK | 2021 Apr-Jun | Conductive | Severe | Bilateral | 0 |
| ORK | 2021 Apr-Jun | Sensorineural | Severe | Unilateral | 0 |
| ORK | 2021 Apr-Jun | Sensorineural | Severe | Bilateral | <5 |
| ORK | 2021 Apr-Jun | Mixed | Severe | Unilateral | 0 |
| ORK | 2021 Apr-Jun | Mixed | Severe | Bilateral | 0 |
| ORK | 2021 Apr-Jun | ANSD | Severe | Unilateral | 0 |
| ORK | 2021 Apr-Jun | ANSD | Severe | Bilateral | 0 |

| | | | | | |
|------|--------------|---------------|--------------|------------|----|
| ORK | 2021 Apr-Jun | Undefined | Severe | Unilateral | 0 |
| ORK | 2021 Apr-Jun | Undefined | Severe | Bilateral | 0 |
| ORK | 2021 Apr-Jun | Conductive | Profound | Unilateral | 0 |
| ORK | 2021 Apr-Jun | Conductive | Profound | Bilateral | 0 |
| ORK | 2021 Apr-Jun | Sensorineural | Profound | Unilateral | 0 |
| ORK | 2021 Apr-Jun | Sensorineural | Profound | Bilateral | 0 |
| ORK | 2021 Apr-Jun | Mixed | Profound | Unilateral | 0 |
| ORK | 2021 Apr-Jun | Mixed | Profound | Bilateral | 0 |
| ORK | 2021 Apr-Jun | ANSD | Profound | Unilateral | 0 |
| ORK | 2021 Apr-Jun | ANSD | Profound | Bilateral | 0 |
| ORK | 2021 Apr-Jun | Undefined | Profound | Unilateral | 0 |
| ORK | 2021 Apr-Jun | Undefined | Profound | Bilateral | 0 |
| ORK | 2021 Apr-Jun | Conductive | Unclassified | Unilateral | 0 |
| ORK | 2021 Apr-Jun | Conductive | Unclassified | Bilateral | 0 |
| ORK | 2021 Apr-Jun | Sensorineural | Unclassified | Unilateral | 0 |
| ORK | 2021 Apr-Jun | Sensorineural | Unclassified | Bilateral | 0 |
| ORK | 2021 Apr-Jun | Mixed | Unclassified | Unilateral | 0 |
| ORK | 2021 Apr-Jun | Mixed | Unclassified | Bilateral | 0 |
| ORK | 2021 Apr-Jun | ANSD | Unclassified | Unilateral | 0 |
| ORK | 2021 Apr-Jun | ANSD | Unclassified | Bilateral | 0 |
| ORK | 2021 Apr-Jun | Undefined | Unclassified | Unilateral | 0 |
| ORK | 2021 Apr-Jun | Undefined | Unclassified | Bilateral | 0 |
| SHET | 2021 Jan-Mar | Conductive | Mild | Unilateral | <5 |
| SHET | 2021 Jan-Mar | Conductive | Mild | Bilateral | <5 |
| SHET | 2021 Jan-Mar | Sensorineural | Mild | Unilateral | <5 |
| SHET | 2021 Jan-Mar | Sensorineural | Mild | Bilateral | <5 |
| SHET | 2021 Jan-Mar | Mixed | Mild | Unilateral | 0 |
| SHET | 2021 Jan-Mar | Mixed | Mild | Bilateral | 0 |
| SHET | 2021 Jan-Mar | ANSD | Mild | Unilateral | 0 |
| SHET | 2021 Jan-Mar | ANSD | Mild | Bilateral | 0 |
| SHET | 2021 Jan-Mar | Undefined | Mild | Unilateral | 0 |
| SHET | 2021 Jan-Mar | Undefined | Mild | Bilateral | 0 |
| SHET | 2021 Jan-Mar | Conductive | Moderate | Unilateral | 0 |
| SHET | 2021 Jan-Mar | Conductive | Moderate | Bilateral | 0 |
| SHET | 2021 Jan-Mar | Sensorineural | Moderate | Unilateral | 0 |
| SHET | 2021 Jan-Mar | Sensorineural | Moderate | Bilateral | 5 |
| SHET | 2021 Jan-Mar | Mixed | Moderate | Unilateral | 0 |
| SHET | 2021 Jan-Mar | Mixed | Moderate | Bilateral | 0 |
| SHET | 2021 Jan-Mar | ANSD | Moderate | Unilateral | 0 |
| SHET | 2021 Jan-Mar | ANSD | Moderate | Bilateral | 0 |
| SHET | 2021 Jan-Mar | Undefined | Moderate | Unilateral | 0 |
| SHET | 2021 Jan-Mar | Undefined | Moderate | Bilateral | 0 |
| SHET | 2021 Jan-Mar | Conductive | Severe | Unilateral | <5 |
| SHET | 2021 Jan-Mar | Conductive | Severe | Bilateral | 0 |
| SHET | 2021 Jan-Mar | Sensorineural | Severe | Unilateral | 0 |
| SHET | 2021 Jan-Mar | Sensorineural | Severe | Bilateral | <5 |
| SHET | 2021 Jan-Mar | Mixed | Severe | Unilateral | 0 |
| SHET | 2021 Jan-Mar | Mixed | Severe | Bilateral | 0 |
| SHET | 2021 Jan-Mar | ANSD | Severe | Unilateral | 0 |
| SHET | 2021 Jan-Mar | ANSD | Severe | Bilateral | 0 |

| | | | | | |
|------|--------------|---------------|--------------|------------|----|
| SHET | 2021 Jan-Mar | Undefined | Severe | Unilateral | 0 |
| SHET | 2021 Jan-Mar | Undefined | Severe | Bilateral | 0 |
| SHET | 2021 Jan-Mar | Conductive | Profound | Unilateral | 0 |
| SHET | 2021 Jan-Mar | Conductive | Profound | Bilateral | 0 |
| SHET | 2021 Jan-Mar | Sensorineural | Profound | Unilateral | 0 |
| SHET | 2021 Jan-Mar | Sensorineural | Profound | Bilateral | <5 |
| SHET | 2021 Jan-Mar | Mixed | Profound | Unilateral | 0 |
| SHET | 2021 Jan-Mar | Mixed | Profound | Bilateral | 0 |
| SHET | 2021 Jan-Mar | ANSD | Profound | Unilateral | 0 |
| SHET | 2021 Jan-Mar | ANSD | Profound | Bilateral | 0 |
| SHET | 2021 Jan-Mar | Undefined | Profound | Unilateral | 0 |
| SHET | 2021 Jan-Mar | Undefined | Profound | Bilateral | 0 |
| SHET | 2021 Jan-Mar | Conductive | Unclassified | Unilateral | 0 |
| SHET | 2021 Jan-Mar | Conductive | Unclassified | Bilateral | 0 |
| SHET | 2021 Jan-Mar | Sensorineural | Unclassified | Unilateral | 0 |
| SHET | 2021 Jan-Mar | Sensorineural | Unclassified | Bilateral | 0 |
| SHET | 2021 Jan-Mar | Mixed | Unclassified | Unilateral | 0 |
| SHET | 2021 Jan-Mar | Mixed | Unclassified | Bilateral | 0 |
| SHET | 2021 Jan-Mar | ANSD | Unclassified | Unilateral | 0 |
| SHET | 2021 Jan-Mar | ANSD | Unclassified | Bilateral | 0 |
| SHET | 2021 Jan-Mar | Undefined | Unclassified | Unilateral | 0 |
| SHET | 2021 Jan-Mar | Undefined | Unclassified | Bilateral | 0 |
| SHET | 2020 Oct-Dec | Conductive | Mild | Unilateral | 0 |
| SHET | 2020 Oct-Dec | Conductive | Mild | Bilateral | <5 |
| SHET | 2020 Oct-Dec | Sensorineural | Mild | Unilateral | <5 |
| SHET | 2020 Oct-Dec | Sensorineural | Mild | Bilateral | 0 |
| SHET | 2020 Oct-Dec | Mixed | Mild | Unilateral | 0 |
| SHET | 2020 Oct-Dec | Mixed | Mild | Bilateral | 0 |
| SHET | 2020 Oct-Dec | ANSD | Mild | Unilateral | 0 |
| SHET | 2020 Oct-Dec | ANSD | Mild | Bilateral | 0 |
| SHET | 2020 Oct-Dec | Undefined | Mild | Unilateral | 0 |
| SHET | 2020 Oct-Dec | Undefined | Mild | Bilateral | 0 |
| SHET | 2020 Oct-Dec | Conductive | Moderate | Unilateral | 0 |
| SHET | 2020 Oct-Dec | Conductive | Moderate | Bilateral | 0 |
| SHET | 2020 Oct-Dec | Sensorineural | Moderate | Unilateral | 0 |
| SHET | 2020 Oct-Dec | Sensorineural | Moderate | Bilateral | 5 |
| SHET | 2020 Oct-Dec | Mixed | Moderate | Unilateral | 0 |
| SHET | 2020 Oct-Dec | Mixed | Moderate | Bilateral | <5 |
| SHET | 2020 Oct-Dec | ANSD | Moderate | Unilateral | 0 |
| SHET | 2020 Oct-Dec | ANSD | Moderate | Bilateral | 0 |
| SHET | 2020 Oct-Dec | Undefined | Moderate | Unilateral | 0 |
| SHET | 2020 Oct-Dec | Undefined | Moderate | Bilateral | 0 |
| SHET | 2020 Oct-Dec | Conductive | Severe | Unilateral | <5 |
| SHET | 2020 Oct-Dec | Conductive | Severe | Bilateral | 0 |
| SHET | 2020 Oct-Dec | Sensorineural | Severe | Unilateral | 0 |
| SHET | 2020 Oct-Dec | Sensorineural | Severe | Bilateral | 0 |
| SHET | 2020 Oct-Dec | Mixed | Severe | Unilateral | 0 |
| SHET | 2020 Oct-Dec | Mixed | Severe | Bilateral | 0 |
| SHET | 2020 Oct-Dec | ANSD | Severe | Unilateral | 0 |
| SHET | 2020 Oct-Dec | ANSD | Severe | Bilateral | 0 |

| | | | | | |
|------|--------------|---------------|--------------|------------|----|
| SHET | 2020 Oct-Dec | Undefined | Severe | Unilateral | 0 |
| SHET | 2020 Oct-Dec | Undefined | Severe | Bilateral | 0 |
| SHET | 2020 Oct-Dec | Conductive | Profound | Unilateral | 0 |
| SHET | 2020 Oct-Dec | Conductive | Profound | Bilateral | 0 |
| SHET | 2020 Oct-Dec | Sensorineural | Profound | Unilateral | 0 |
| SHET | 2020 Oct-Dec | Sensorineural | Profound | Bilateral | <5 |
| SHET | 2020 Oct-Dec | Mixed | Profound | Unilateral | 0 |
| SHET | 2020 Oct-Dec | Mixed | Profound | Bilateral | 0 |
| SHET | 2020 Oct-Dec | ANSD | Profound | Unilateral | 0 |
| SHET | 2020 Oct-Dec | ANSD | Profound | Bilateral | 0 |
| SHET | 2020 Oct-Dec | Undefined | Profound | Unilateral | 0 |
| SHET | 2020 Oct-Dec | Undefined | Profound | Bilateral | 0 |
| SHET | 2020 Oct-Dec | Conductive | Unclassified | Unilateral | 0 |
| SHET | 2020 Oct-Dec | Conductive | Unclassified | Bilateral | 0 |
| SHET | 2020 Oct-Dec | Sensorineural | Unclassified | Unilateral | 0 |
| SHET | 2020 Oct-Dec | Sensorineural | Unclassified | Bilateral | 0 |
| SHET | 2020 Oct-Dec | Mixed | Unclassified | Unilateral | 0 |
| SHET | 2020 Oct-Dec | Mixed | Unclassified | Bilateral | 0 |
| SHET | 2020 Oct-Dec | ANSD | Unclassified | Unilateral | 0 |
| SHET | 2020 Oct-Dec | ANSD | Unclassified | Bilateral | 0 |
| SHET | 2020 Oct-Dec | Undefined | Unclassified | Unilateral | 0 |
| SHET | 2020 Oct-Dec | Undefined | Unclassified | Bilateral | 0 |
| SHET | 2021 Apr-Jun | Conductive | Mild | Unilateral | <5 |
| SHET | 2021 Apr-Jun | Conductive | Mild | Bilateral | <5 |
| SHET | 2021 Apr-Jun | Sensorineural | Mild | Unilateral | <5 |
| SHET | 2021 Apr-Jun | Sensorineural | Mild | Bilateral | <5 |
| SHET | 2021 Apr-Jun | Mixed | Mild | Unilateral | 0 |
| SHET | 2021 Apr-Jun | Mixed | Mild | Bilateral | 0 |
| SHET | 2021 Apr-Jun | ANSD | Mild | Unilateral | 0 |
| SHET | 2021 Apr-Jun | ANSD | Mild | Bilateral | 0 |
| SHET | 2021 Apr-Jun | Undefined | Mild | Unilateral | 0 |
| SHET | 2021 Apr-Jun | Undefined | Mild | Bilateral | 0 |
| SHET | 2021 Apr-Jun | Conductive | Moderate | Unilateral | 0 |
| SHET | 2021 Apr-Jun | Conductive | Moderate | Bilateral | <5 |
| SHET | 2021 Apr-Jun | Sensorineural | Moderate | Unilateral | 0 |
| SHET | 2021 Apr-Jun | Sensorineural | Moderate | Bilateral | 5 |
| SHET | 2021 Apr-Jun | Mixed | Moderate | Unilateral | 0 |
| SHET | 2021 Apr-Jun | Mixed | Moderate | Bilateral | 0 |
| SHET | 2021 Apr-Jun | ANSD | Moderate | Unilateral | 0 |
| SHET | 2021 Apr-Jun | ANSD | Moderate | Bilateral | 0 |
| SHET | 2021 Apr-Jun | Undefined | Moderate | Unilateral | 0 |
| SHET | 2021 Apr-Jun | Undefined | Moderate | Bilateral | 0 |
| SHET | 2021 Apr-Jun | Conductive | Severe | Unilateral | 0 |
| SHET | 2021 Apr-Jun | Conductive | Severe | Bilateral | 0 |
| SHET | 2021 Apr-Jun | Sensorineural | Severe | Unilateral | 0 |
| SHET | 2021 Apr-Jun | Sensorineural | Severe | Bilateral | 0 |
| SHET | 2021 Apr-Jun | Mixed | Severe | Unilateral | 0 |
| SHET | 2021 Apr-Jun | Mixed | Severe | Bilateral | 0 |
| SHET | 2021 Apr-Jun | ANSD | Severe | Unilateral | 0 |
| SHET | 2021 Apr-Jun | ANSD | Severe | Bilateral | 0 |

| | | | | | |
|------|--------------|---------------|--------------|------------|----|
| SHET | 2021 Apr-Jun | Undefined | Severe | Unilateral | 0 |
| SHET | 2021 Apr-Jun | Undefined | Severe | Bilateral | 0 |
| SHET | 2021 Apr-Jun | Conductive | Profound | Unilateral | 0 |
| SHET | 2021 Apr-Jun | Conductive | Profound | Bilateral | 0 |
| SHET | 2021 Apr-Jun | Sensorineural | Profound | Unilateral | 0 |
| SHET | 2021 Apr-Jun | Sensorineural | Profound | Bilateral | <5 |
| SHET | 2021 Apr-Jun | Mixed | Profound | Unilateral | 0 |
| SHET | 2021 Apr-Jun | Mixed | Profound | Bilateral | 0 |
| SHET | 2021 Apr-Jun | ANSD | Profound | Unilateral | 0 |
| SHET | 2021 Apr-Jun | ANSD | Profound | Bilateral | 0 |
| SHET | 2021 Apr-Jun | Undefined | Profound | Unilateral | 0 |
| SHET | 2021 Apr-Jun | Undefined | Profound | Bilateral | 0 |
| SHET | 2021 Apr-Jun | Conductive | Unclassified | Unilateral | 0 |
| SHET | 2021 Apr-Jun | Conductive | Unclassified | Bilateral | 0 |
| SHET | 2021 Apr-Jun | Sensorineural | Unclassified | Unilateral | 0 |
| SHET | 2021 Apr-Jun | Sensorineural | Unclassified | Bilateral | 0 |
| SHET | 2021 Apr-Jun | Mixed | Unclassified | Unilateral | 0 |
| SHET | 2021 Apr-Jun | Mixed | Unclassified | Bilateral | 0 |
| SHET | 2021 Apr-Jun | ANSD | Unclassified | Unilateral | 0 |
| SHET | 2021 Apr-Jun | ANSD | Unclassified | Bilateral | 0 |
| SHET | 2021 Apr-Jun | Undefined | Unclassified | Unilateral | 0 |
| SHET | 2021 Apr-Jun | Undefined | Unclassified | Bilateral | 0 |
| TAY | 2021 Jan-Mar | Conductive | Mild | Unilateral | 49 |
| TAY | 2021 Jan-Mar | Conductive | Mild | Bilateral | 26 |
| TAY | 2021 Jan-Mar | Sensorineural | Mild | Unilateral | 15 |
| TAY | 2021 Jan-Mar | Sensorineural | Mild | Bilateral | 38 |
| TAY | 2021 Jan-Mar | Mixed | Mild | Unilateral | 7 |
| TAY | 2021 Jan-Mar | Mixed | Mild | Bilateral | <5 |
| TAY | 2021 Jan-Mar | ANSD | Mild | Unilateral | <5 |
| TAY | 2021 Jan-Mar | ANSD | Mild | Bilateral | 0 |
| TAY | 2021 Jan-Mar | Undefined | Mild | Unilateral | 0 |
| TAY | 2021 Jan-Mar | Undefined | Mild | Bilateral | 0 |
| TAY | 2021 Jan-Mar | Conductive | Moderate | Unilateral | 25 |
| TAY | 2021 Jan-Mar | Conductive | Moderate | Bilateral | 32 |
| TAY | 2021 Jan-Mar | Sensorineural | Moderate | Unilateral | 27 |
| TAY | 2021 Jan-Mar | Sensorineural | Moderate | Bilateral | 68 |
| TAY | 2021 Jan-Mar | Mixed | Moderate | Unilateral | <5 |
| TAY | 2021 Jan-Mar | Mixed | Moderate | Bilateral | 6 |
| TAY | 2021 Jan-Mar | ANSD | Moderate | Unilateral | 0 |
| TAY | 2021 Jan-Mar | ANSD | Moderate | Bilateral | <5 |
| TAY | 2021 Jan-Mar | Undefined | Moderate | Unilateral | 0 |
| TAY | 2021 Jan-Mar | Undefined | Moderate | Bilateral | 0 |
| TAY | 2021 Jan-Mar | Conductive | Severe | Unilateral | <5 |
| TAY | 2021 Jan-Mar | Conductive | Severe | Bilateral | 0 |
| TAY | 2021 Jan-Mar | Sensorineural | Severe | Unilateral | 20 |
| TAY | 2021 Jan-Mar | Sensorineural | Severe | Bilateral | 20 |
| TAY | 2021 Jan-Mar | Mixed | Severe | Unilateral | 0 |
| TAY | 2021 Jan-Mar | Mixed | Severe | Bilateral | <5 |
| TAY | 2021 Jan-Mar | ANSD | Severe | Unilateral | <5 |
| TAY | 2021 Jan-Mar | ANSD | Severe | Bilateral | <5 |

| | | | | | |
|-----|--------------|---------------|--------------|------------|----|
| TAY | 2021 Jan-Mar | Undefined | Severe | Unilateral | 0 |
| TAY | 2021 Jan-Mar | Undefined | Severe | Bilateral | 0 |
| TAY | 2021 Jan-Mar | Conductive | Profound | Unilateral | 0 |
| TAY | 2021 Jan-Mar | Conductive | Profound | Bilateral | 0 |
| TAY | 2021 Jan-Mar | Sensorineural | Profound | Unilateral | 20 |
| TAY | 2021 Jan-Mar | Sensorineural | Profound | Bilateral | 28 |
| TAY | 2021 Jan-Mar | Mixed | Profound | Unilateral | 0 |
| TAY | 2021 Jan-Mar | Mixed | Profound | Bilateral | 0 |
| TAY | 2021 Jan-Mar | ANSD | Profound | Unilateral | <5 |
| TAY | 2021 Jan-Mar | ANSD | Profound | Bilateral | <5 |
| TAY | 2021 Jan-Mar | Undefined | Profound | Unilateral | 0 |
| TAY | 2021 Jan-Mar | Undefined | Profound | Bilateral | 0 |
| TAY | 2021 Jan-Mar | Conductive | Unclassified | Unilateral | <5 |
| TAY | 2021 Jan-Mar | Conductive | Unclassified | Bilateral | <5 |
| TAY | 2021 Jan-Mar | Sensorineural | Unclassified | Unilateral | <5 |
| TAY | 2021 Jan-Mar | Sensorineural | Unclassified | Bilateral | <5 |
| TAY | 2021 Jan-Mar | Mixed | Unclassified | Unilateral | 0 |
| TAY | 2021 Jan-Mar | Mixed | Unclassified | Bilateral | 0 |
| TAY | 2021 Jan-Mar | ANSD | Unclassified | Unilateral | 0 |
| TAY | 2021 Jan-Mar | ANSD | Unclassified | Bilateral | 0 |
| TAY | 2021 Jan-Mar | Undefined | Unclassified | Unilateral | 0 |
| TAY | 2021 Jan-Mar | Undefined | Unclassified | Bilateral | 0 |
| TAY | 2020 Oct-Dec | Conductive | Mild | Unilateral | 48 |
| TAY | 2020 Oct-Dec | Conductive | Mild | Bilateral | 40 |
| TAY | 2020 Oct-Dec | Sensorineural | Mild | Unilateral | 20 |
| TAY | 2020 Oct-Dec | Sensorineural | Mild | Bilateral | 40 |
| TAY | 2020 Oct-Dec | Mixed | Mild | Unilateral | 8 |
| TAY | 2020 Oct-Dec | Mixed | Mild | Bilateral | 9 |
| TAY | 2020 Oct-Dec | ANSD | Mild | Unilateral | <5 |
| TAY | 2020 Oct-Dec | ANSD | Mild | Bilateral | 0 |
| TAY | 2020 Oct-Dec | Undefined | Mild | Unilateral | 0 |
| TAY | 2020 Oct-Dec | Undefined | Mild | Bilateral | 0 |
| TAY | 2020 Oct-Dec | Conductive | Moderate | Unilateral | 19 |
| TAY | 2020 Oct-Dec | Conductive | Moderate | Bilateral | 28 |
| TAY | 2020 Oct-Dec | Sensorineural | Moderate | Unilateral | 20 |
| TAY | 2020 Oct-Dec | Sensorineural | Moderate | Bilateral | 67 |
| TAY | 2020 Oct-Dec | Mixed | Moderate | Unilateral | <5 |
| TAY | 2020 Oct-Dec | Mixed | Moderate | Bilateral | 5 |
| TAY | 2020 Oct-Dec | ANSD | Moderate | Unilateral | 0 |
| TAY | 2020 Oct-Dec | ANSD | Moderate | Bilateral | <5 |
| TAY | 2020 Oct-Dec | Undefined | Moderate | Unilateral | 0 |
| TAY | 2020 Oct-Dec | Undefined | Moderate | Bilateral | 0 |
| TAY | 2020 Oct-Dec | Conductive | Severe | Unilateral | <5 |
| TAY | 2020 Oct-Dec | Conductive | Severe | Bilateral | <5 |
| TAY | 2020 Oct-Dec | Sensorineural | Severe | Unilateral | 11 |
| TAY | 2020 Oct-Dec | Sensorineural | Severe | Bilateral | 29 |
| TAY | 2020 Oct-Dec | Mixed | Severe | Unilateral | 0 |
| TAY | 2020 Oct-Dec | Mixed | Severe | Bilateral | <5 |
| TAY | 2020 Oct-Dec | ANSD | Severe | Unilateral | <5 |
| TAY | 2020 Oct-Dec | ANSD | Severe | Bilateral | <5 |

| | | | | | |
|-----|--------------|---------------|--------------|------------|----|
| TAY | 2020 Oct-Dec | Undefined | Severe | Unilateral | 0 |
| TAY | 2020 Oct-Dec | Undefined | Severe | Bilateral | 0 |
| TAY | 2020 Oct-Dec | Conductive | Profound | Unilateral | 0 |
| TAY | 2020 Oct-Dec | Conductive | Profound | Bilateral | 0 |
| TAY | 2020 Oct-Dec | Sensorineural | Profound | Unilateral | 20 |
| TAY | 2020 Oct-Dec | Sensorineural | Profound | Bilateral | 23 |
| TAY | 2020 Oct-Dec | Mixed | Profound | Unilateral | 0 |
| TAY | 2020 Oct-Dec | Mixed | Profound | Bilateral | 0 |
| TAY | 2020 Oct-Dec | ANSD | Profound | Unilateral | 0 |
| TAY | 2020 Oct-Dec | ANSD | Profound | Bilateral | <5 |
| TAY | 2020 Oct-Dec | Undefined | Profound | Unilateral | 0 |
| TAY | 2020 Oct-Dec | Undefined | Profound | Bilateral | 0 |
| TAY | 2020 Oct-Dec | Conductive | Unclassified | Unilateral | 0 |
| TAY | 2020 Oct-Dec | Conductive | Unclassified | Bilateral | 0 |
| TAY | 2020 Oct-Dec | Sensorineural | Unclassified | Unilateral | <5 |
| TAY | 2020 Oct-Dec | Sensorineural | Unclassified | Bilateral | <5 |
| TAY | 2020 Oct-Dec | Mixed | Unclassified | Unilateral | 0 |
| TAY | 2020 Oct-Dec | Mixed | Unclassified | Bilateral | 0 |
| TAY | 2020 Oct-Dec | ANSD | Unclassified | Unilateral | 0 |
| TAY | 2020 Oct-Dec | ANSD | Unclassified | Bilateral | 0 |
| TAY | 2020 Oct-Dec | Undefined | Unclassified | Unilateral | 0 |
| TAY | 2020 Oct-Dec | Undefined | Unclassified | Bilateral | 0 |
| TAY | 2021 Apr-Jun | Conductive | Mild | Unilateral | 36 |
| TAY | 2021 Apr-Jun | Conductive | Mild | Bilateral | 26 |
| TAY | 2021 Apr-Jun | Sensorineural | Mild | Unilateral | 19 |
| TAY | 2021 Apr-Jun | Sensorineural | Mild | Bilateral | 45 |
| TAY | 2021 Apr-Jun | Mixed | Mild | Unilateral | 7 |
| TAY | 2021 Apr-Jun | Mixed | Mild | Bilateral | 9 |
| TAY | 2021 Apr-Jun | ANSD | Mild | Unilateral | <5 |
| TAY | 2021 Apr-Jun | ANSD | Mild | Bilateral | 0 |
| TAY | 2021 Apr-Jun | Undefined | Mild | Unilateral | 0 |
| TAY | 2021 Apr-Jun | Undefined | Mild | Bilateral | 0 |
| TAY | 2021 Apr-Jun | Conductive | Moderate | Unilateral | 24 |
| TAY | 2021 Apr-Jun | Conductive | Moderate | Bilateral | 35 |
| TAY | 2021 Apr-Jun | Sensorineural | Moderate | Unilateral | 19 |
| TAY | 2021 Apr-Jun | Sensorineural | Moderate | Bilateral | 70 |
| TAY | 2021 Apr-Jun | Mixed | Moderate | Unilateral | 0 |
| TAY | 2021 Apr-Jun | Mixed | Moderate | Bilateral | 6 |
| TAY | 2021 Apr-Jun | ANSD | Moderate | Unilateral | 0 |
| TAY | 2021 Apr-Jun | ANSD | Moderate | Bilateral | 6 |
| TAY | 2021 Apr-Jun | Undefined | Moderate | Unilateral | 0 |
| TAY | 2021 Apr-Jun | Undefined | Moderate | Bilateral | 0 |
| TAY | 2021 Apr-Jun | Conductive | Severe | Unilateral | 6 |
| TAY | 2021 Apr-Jun | Conductive | Severe | Bilateral | <5 |
| TAY | 2021 Apr-Jun | Sensorineural | Severe | Unilateral | 17 |
| TAY | 2021 Apr-Jun | Sensorineural | Severe | Bilateral | 20 |
| TAY | 2021 Apr-Jun | Mixed | Severe | Unilateral | <5 |
| TAY | 2021 Apr-Jun | Mixed | Severe | Bilateral | <5 |
| TAY | 2021 Apr-Jun | ANSD | Severe | Unilateral | <5 |
| TAY | 2021 Apr-Jun | ANSD | Severe | Bilateral | <5 |

| | | | | | |
|-----|--------------|---------------|--------------|------------|----|
| TAY | 2021 Apr-Jun | Undefined | Severe | Unilateral | 0 |
| TAY | 2021 Apr-Jun | Undefined | Severe | Bilateral | 0 |
| TAY | 2021 Apr-Jun | Conductive | Profound | Unilateral | 0 |
| TAY | 2021 Apr-Jun | Conductive | Profound | Bilateral | 0 |
| TAY | 2021 Apr-Jun | Sensorineural | Profound | Unilateral | 21 |
| TAY | 2021 Apr-Jun | Sensorineural | Profound | Bilateral | 28 |
| TAY | 2021 Apr-Jun | Mixed | Profound | Unilateral | 0 |
| TAY | 2021 Apr-Jun | Mixed | Profound | Bilateral | 0 |
| TAY | 2021 Apr-Jun | ANSD | Profound | Unilateral | <5 |
| TAY | 2021 Apr-Jun | ANSD | Profound | Bilateral | 0 |
| TAY | 2021 Apr-Jun | Undefined | Profound | Unilateral | 0 |
| TAY | 2021 Apr-Jun | Undefined | Profound | Bilateral | 0 |
| TAY | 2021 Apr-Jun | Conductive | Unclassified | Unilateral | 0 |
| TAY | 2021 Apr-Jun | Conductive | Unclassified | Bilateral | 0 |
| TAY | 2021 Apr-Jun | Sensorineural | Unclassified | Unilateral | <5 |
| TAY | 2021 Apr-Jun | Sensorineural | Unclassified | Bilateral | <5 |
| TAY | 2021 Apr-Jun | Mixed | Unclassified | Unilateral | 0 |
| TAY | 2021 Apr-Jun | Mixed | Unclassified | Bilateral | 0 |
| TAY | 2021 Apr-Jun | ANSD | Unclassified | Unilateral | 0 |
| TAY | 2021 Apr-Jun | ANSD | Unclassified | Bilateral | 0 |
| TAY | 2021 Apr-Jun | Undefined | Unclassified | Unilateral | 0 |
| TAY | 2021 Apr-Jun | Undefined | Unclassified | Bilateral | 0 |
| WI | 2021 Jan-Mar | Conductive | Mild | Unilateral | <5 |
| WI | 2021 Jan-Mar | Conductive | Mild | Bilateral | 8 |
| WI | 2021 Jan-Mar | Sensorineural | Mild | Unilateral | <5 |
| WI | 2021 Jan-Mar | Sensorineural | Mild | Bilateral | <5 |
| WI | 2021 Jan-Mar | Mixed | Mild | Unilateral | 0 |
| WI | 2021 Jan-Mar | Mixed | Mild | Bilateral | 0 |
| WI | 2021 Jan-Mar | ANSD | Mild | Unilateral | 0 |
| WI | 2021 Jan-Mar | ANSD | Mild | Bilateral | 0 |
| WI | 2021 Jan-Mar | Undefined | Mild | Unilateral | 0 |
| WI | 2021 Jan-Mar | Undefined | Mild | Bilateral | 0 |
| WI | 2021 Jan-Mar | Conductive | Moderate | Unilateral | <5 |
| WI | 2021 Jan-Mar | Conductive | Moderate | Bilateral | 0 |
| WI | 2021 Jan-Mar | Sensorineural | Moderate | Unilateral | <5 |
| WI | 2021 Jan-Mar | Sensorineural | Moderate | Bilateral | 5 |
| WI | 2021 Jan-Mar | Mixed | Moderate | Unilateral | <5 |
| WI | 2021 Jan-Mar | Mixed | Moderate | Bilateral | 0 |
| WI | 2021 Jan-Mar | ANSD | Moderate | Unilateral | 0 |
| WI | 2021 Jan-Mar | ANSD | Moderate | Bilateral | 0 |
| WI | 2021 Jan-Mar | Undefined | Moderate | Unilateral | 0 |
| WI | 2021 Jan-Mar | Undefined | Moderate | Bilateral | 0 |
| WI | 2021 Jan-Mar | Conductive | Severe | Unilateral | 0 |
| WI | 2021 Jan-Mar | Conductive | Severe | Bilateral | 0 |
| WI | 2021 Jan-Mar | Sensorineural | Severe | Unilateral | <5 |
| WI | 2021 Jan-Mar | Sensorineural | Severe | Bilateral | <5 |
| WI | 2021 Jan-Mar | Mixed | Severe | Unilateral | 0 |
| WI | 2021 Jan-Mar | Mixed | Severe | Bilateral | 0 |
| WI | 2021 Jan-Mar | ANSD | Severe | Unilateral | 0 |
| WI | 2021 Jan-Mar | ANSD | Severe | Bilateral | 0 |

| | | | | | |
|----|--------------|---------------|--------------|------------|----|
| WI | 2021 Jan-Mar | Undefined | Severe | Unilateral | 0 |
| WI | 2021 Jan-Mar | Undefined | Severe | Bilateral | 0 |
| WI | 2021 Jan-Mar | Conductive | Profound | Unilateral | 0 |
| WI | 2021 Jan-Mar | Conductive | Profound | Bilateral | 0 |
| WI | 2021 Jan-Mar | Sensorineural | Profound | Unilateral | 0 |
| WI | 2021 Jan-Mar | Sensorineural | Profound | Bilateral | <5 |
| WI | 2021 Jan-Mar | Mixed | Profound | Unilateral | 0 |
| WI | 2021 Jan-Mar | Mixed | Profound | Bilateral | 0 |
| WI | 2021 Jan-Mar | ANSD | Profound | Unilateral | 0 |
| WI | 2021 Jan-Mar | ANSD | Profound | Bilateral | 0 |
| WI | 2021 Jan-Mar | Undefined | Profound | Unilateral | 0 |
| WI | 2021 Jan-Mar | Undefined | Profound | Bilateral | 0 |
| WI | 2021 Jan-Mar | Conductive | Unclassified | Unilateral | 0 |
| WI | 2021 Jan-Mar | Conductive | Unclassified | Bilateral | 0 |
| WI | 2021 Jan-Mar | Sensorineural | Unclassified | Unilateral | 0 |
| WI | 2021 Jan-Mar | Sensorineural | Unclassified | Bilateral | 0 |
| WI | 2021 Jan-Mar | Mixed | Unclassified | Unilateral | 0 |
| WI | 2021 Jan-Mar | Mixed | Unclassified | Bilateral | 0 |
| WI | 2021 Jan-Mar | ANSD | Unclassified | Unilateral | 0 |
| WI | 2021 Jan-Mar | ANSD | Unclassified | Bilateral | 0 |
| WI | 2021 Jan-Mar | Undefined | Unclassified | Unilateral | 0 |
| WI | 2021 Jan-Mar | Undefined | Unclassified | Bilateral | 0 |
| WI | 2020 Oct-Dec | Conductive | Mild | Unilateral | <5 |
| WI | 2020 Oct-Dec | Conductive | Mild | Bilateral | 8 |
| WI | 2020 Oct-Dec | Sensorineural | Mild | Unilateral | <5 |
| WI | 2020 Oct-Dec | Sensorineural | Mild | Bilateral | <5 |
| WI | 2020 Oct-Dec | Mixed | Mild | Unilateral | 0 |
| WI | 2020 Oct-Dec | Mixed | Mild | Bilateral | 0 |
| WI | 2020 Oct-Dec | ANSD | Mild | Unilateral | 0 |
| WI | 2020 Oct-Dec | ANSD | Mild | Bilateral | 0 |
| WI | 2020 Oct-Dec | Undefined | Mild | Unilateral | 0 |
| WI | 2020 Oct-Dec | Undefined | Mild | Bilateral | 0 |
| WI | 2020 Oct-Dec | Conductive | Moderate | Unilateral | <5 |
| WI | 2020 Oct-Dec | Conductive | Moderate | Bilateral | 0 |
| WI | 2020 Oct-Dec | Sensorineural | Moderate | Unilateral | <5 |
| WI | 2020 Oct-Dec | Sensorineural | Moderate | Bilateral | 5 |
| WI | 2020 Oct-Dec | Mixed | Moderate | Unilateral | <5 |
| WI | 2020 Oct-Dec | Mixed | Moderate | Bilateral | 0 |
| WI | 2020 Oct-Dec | ANSD | Moderate | Unilateral | 0 |
| WI | 2020 Oct-Dec | ANSD | Moderate | Bilateral | 0 |
| WI | 2020 Oct-Dec | Undefined | Moderate | Unilateral | 0 |
| WI | 2020 Oct-Dec | Undefined | Moderate | Bilateral | 0 |
| WI | 2020 Oct-Dec | Conductive | Severe | Unilateral | 0 |
| WI | 2020 Oct-Dec | Conductive | Severe | Bilateral | 0 |
| WI | 2020 Oct-Dec | Sensorineural | Severe | Unilateral | <5 |
| WI | 2020 Oct-Dec | Sensorineural | Severe | Bilateral | <5 |
| WI | 2020 Oct-Dec | Mixed | Severe | Unilateral | 0 |
| WI | 2020 Oct-Dec | Mixed | Severe | Bilateral | 0 |
| WI | 2020 Oct-Dec | ANSD | Severe | Unilateral | 0 |
| WI | 2020 Oct-Dec | ANSD | Severe | Bilateral | 0 |

| | | | | | |
|----|--------------|---------------|--------------|------------|----|
| WI | 2020 Oct-Dec | Undefined | Severe | Unilateral | 0 |
| WI | 2020 Oct-Dec | Undefined | Severe | Bilateral | 0 |
| WI | 2020 Oct-Dec | Conductive | Profound | Unilateral | 0 |
| WI | 2020 Oct-Dec | Conductive | Profound | Bilateral | 0 |
| WI | 2020 Oct-Dec | Sensorineural | Profound | Unilateral | 0 |
| WI | 2020 Oct-Dec | Sensorineural | Profound | Bilateral | <5 |
| WI | 2020 Oct-Dec | Mixed | Profound | Unilateral | 0 |
| WI | 2020 Oct-Dec | Mixed | Profound | Bilateral | 0 |
| WI | 2020 Oct-Dec | ANSD | Profound | Unilateral | 0 |
| WI | 2020 Oct-Dec | ANSD | Profound | Bilateral | 0 |
| WI | 2020 Oct-Dec | Undefined | Profound | Unilateral | 0 |
| WI | 2020 Oct-Dec | Undefined | Profound | Bilateral | 0 |
| WI | 2020 Oct-Dec | Conductive | Unclassified | Unilateral | 0 |
| WI | 2020 Oct-Dec | Conductive | Unclassified | Bilateral | 0 |
| WI | 2020 Oct-Dec | Sensorineural | Unclassified | Unilateral | 0 |
| WI | 2020 Oct-Dec | Sensorineural | Unclassified | Bilateral | 0 |
| WI | 2020 Oct-Dec | Mixed | Unclassified | Unilateral | 0 |
| WI | 2020 Oct-Dec | Mixed | Unclassified | Bilateral | 0 |
| WI | 2020 Oct-Dec | ANSD | Unclassified | Unilateral | 0 |
| WI | 2020 Oct-Dec | ANSD | Unclassified | Bilateral | 0 |
| WI | 2020 Oct-Dec | Undefined | Unclassified | Unilateral | 0 |
| WI | 2020 Oct-Dec | Undefined | Unclassified | Bilateral | 0 |
| WI | 2021 Apr-Jun | Conductive | Mild | Unilateral | <5 |
| WI | 2021 Apr-Jun | Conductive | Mild | Bilateral | 8 |
| WI | 2021 Apr-Jun | Sensorineural | Mild | Unilateral | <5 |
| WI | 2021 Apr-Jun | Sensorineural | Mild | Bilateral | <5 |
| WI | 2021 Apr-Jun | Mixed | Mild | Unilateral | 0 |
| WI | 2021 Apr-Jun | Mixed | Mild | Bilateral | 0 |
| WI | 2021 Apr-Jun | ANSD | Mild | Unilateral | 0 |
| WI | 2021 Apr-Jun | ANSD | Mild | Bilateral | 0 |
| WI | 2021 Apr-Jun | Undefined | Mild | Unilateral | 0 |
| WI | 2021 Apr-Jun | Undefined | Mild | Bilateral | 0 |
| WI | 2021 Apr-Jun | Conductive | Moderate | Unilateral | <5 |
| WI | 2021 Apr-Jun | Conductive | Moderate | Bilateral | 0 |
| WI | 2021 Apr-Jun | Sensorineural | Moderate | Unilateral | <5 |
| WI | 2021 Apr-Jun | Sensorineural | Moderate | Bilateral | 5 |
| WI | 2021 Apr-Jun | Mixed | Moderate | Unilateral | <5 |
| WI | 2021 Apr-Jun | Mixed | Moderate | Bilateral | 0 |
| WI | 2021 Apr-Jun | ANSD | Moderate | Unilateral | 0 |
| WI | 2021 Apr-Jun | ANSD | Moderate | Bilateral | 0 |
| WI | 2021 Apr-Jun | Undefined | Moderate | Unilateral | 0 |
| WI | 2021 Apr-Jun | Undefined | Moderate | Bilateral | 0 |
| WI | 2021 Apr-Jun | Conductive | Severe | Unilateral | 0 |
| WI | 2021 Apr-Jun | Conductive | Severe | Bilateral | 0 |
| WI | 2021 Apr-Jun | Sensorineural | Severe | Unilateral | <5 |
| WI | 2021 Apr-Jun | Sensorineural | Severe | Bilateral | <5 |
| WI | 2021 Apr-Jun | Mixed | Severe | Unilateral | 0 |
| WI | 2021 Apr-Jun | Mixed | Severe | Bilateral | 0 |
| WI | 2021 Apr-Jun | ANSD | Severe | Unilateral | 0 |
| WI | 2021 Apr-Jun | ANSD | Severe | Bilateral | 0 |

| | | | | | |
|----|--------------|---------------|--------------|------------|----|
| WI | 2021 Apr-Jun | Undefined | Severe | Unilateral | 0 |
| WI | 2021 Apr-Jun | Undefined | Severe | Bilateral | 0 |
| WI | 2021 Apr-Jun | Conductive | Profound | Unilateral | 0 |
| WI | 2021 Apr-Jun | Conductive | Profound | Bilateral | 0 |
| WI | 2021 Apr-Jun | Sensorineural | Profound | Unilateral | 0 |
| WI | 2021 Apr-Jun | Sensorineural | Profound | Bilateral | <5 |
| WI | 2021 Apr-Jun | Mixed | Profound | Unilateral | 0 |
| WI | 2021 Apr-Jun | Mixed | Profound | Bilateral | 0 |
| WI | 2021 Apr-Jun | ANSD | Profound | Unilateral | 0 |
| WI | 2021 Apr-Jun | ANSD | Profound | Bilateral | 0 |
| WI | 2021 Apr-Jun | Undefined | Profound | Unilateral | 0 |
| WI | 2021 Apr-Jun | Undefined | Profound | Bilateral | 0 |
| WI | 2021 Apr-Jun | Conductive | Unclassified | Unilateral | 0 |
| WI | 2021 Apr-Jun | Conductive | Unclassified | Bilateral | 0 |
| WI | 2021 Apr-Jun | Sensorineural | Unclassified | Unilateral | 0 |
| WI | 2021 Apr-Jun | Sensorineural | Unclassified | Bilateral | 0 |
| WI | 2021 Apr-Jun | Mixed | Unclassified | Unilateral | 0 |
| WI | 2021 Apr-Jun | Mixed | Unclassified | Bilateral | 0 |
| WI | 2021 Apr-Jun | ANSD | Unclassified | Unilateral | 0 |
| WI | 2021 Apr-Jun | ANSD | Unclassified | Bilateral | 0 |
| WI | 2021 Apr-Jun | Undefined | Unclassified | Unilateral | 0 |
| WI | 2021 Apr-Jun | Undefined | Unclassified | Bilateral | 0 |