

Appendix 1 - Beriplex issued FY2022

Product Description	Transaction Date	Unit of Measure	Quantity Issued
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	4/6/2022	Vial	5
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	4/6/2022	Vial	6
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	4/12/2022	Vial	5
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	4/13/2022	Vial	20
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	4/14/2022	Vial	10
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	4/20/2022	Vial	4
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	5/3/2022	Vial	70
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	5/3/2022	Vial	0
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	5/20/2022	Vial	10
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	5/20/2022	Vial	6
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	5/24/2022	Vial	5
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	5/30/2022	Vial	60
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	6/2/2022	Vial	4
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	6/2/2022	Vial	13
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	6/6/2022	Vial	20
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	6/6/2022	Vial	50
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	6/9/2022	Vial	1
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	6/15/2022	Vial	4
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	6/17/2022	Vial	4
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	6/20/2022	Vial	20
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	6/22/2022	Vial	10
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	6/27/2022	Vial	50
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	6/29/2022	Vial	14
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	7/5/2022	Vial	60
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	7/6/2022	Vial	30
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	7/11/2022	Vial	7
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	7/12/2022	Vial	30
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	7/15/2022	Vial	4
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	7/19/2022	Vial	6
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	7/22/2022	Vial	7
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	7/26/2022	Vial	60
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	7/29/2022	Vial	10
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	8/2/2022	Vial	6

Row Labels	Sum of Quantity Issued
Beriplex 1000iu	357
Beriplex 250iu	59
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	1953
Grand Total	2369

Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	8/2/2022	Vial	60
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	8/3/2022	Vial	7
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	8/5/2022	Vial	11
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	8/5/2022	Vial	8
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	8/5/2022	Vial	0
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	8/5/2022	Vial	4
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	8/16/2022	Vial	24
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	8/17/2022	Vial	10
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	8/29/2022	Vial	1
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	9/6/2022	Vial	60
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	9/7/2022	Vial	6
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	9/8/2022	Vial	4
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	9/13/2022	Vial	10
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	9/16/2022	Vial	4
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	9/21/2022	Vial	3
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	9/21/2022	Vial	5
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	9/21/2022	Vial	3
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	9/22/2022	Vial	3
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	9/22/2022	Vial	6
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	9/28/2022	Vial	20
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	10/6/2022	Vial	5
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	10/11/2022	Vial	30
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	10/12/2022	Vial	20
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	10/21/2022	Vial	4
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	10/21/2022	Vial	20
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	10/24/2022	Vial	1
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	11/1/2022	Vial	60
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	11/1/2022	Vial	10
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	11/2/2022	Vial	10
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	11/10/2022	Vial	28
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	11/14/2022	Vial	6
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	11/14/2022	Vial	3
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	11/14/2022	Vial	12
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	11/15/2022	Vial	10
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	11/15/2022	Vial	-10

Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	11/15/2022	Vial	10
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	11/16/2022	Vial	10
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	11/16/2022	Vial	30
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	11/21/2022	Vial	-30
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	11/21/2022	Vial	30
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	11/29/2022	Vial	10
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	12/5/2022	Vial	40
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	12/6/2022	Vial	20
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	12/6/2022	Vial	20
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	12/7/2022	Vial	20
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	12/13/2022	Vial	20
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	12/13/2022	Vial	10
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	12/16/2022	Vial	10
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	12/19/2022	Vial	30
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	12/19/2022	Vial	60
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	12/20/2022	Vial	10
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	12/20/2022	Vial	12
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	12/22/2022	Vial	5
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	12/29/2022	Vial	60
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	1/5/2022	Vial	20
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	1/11/2022	Vial	5
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	1/14/2022	Vial	5
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	1/14/2022	Vial	3
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	1/19/2022	Vial	20
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	1/20/2022	Vial	0
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	1/20/2022	Vial	9
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	1/28/2022	Vial	13
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	2/7/2022	Vial	7
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	2/10/2022	Vial	60
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	2/11/2022	Vial	3
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	2/11/2022	Vial	4
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	2/18/2022	Vial	5
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	2/22/2022	Vial	12
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	2/22/2022	Vial	10
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	2/22/2022	Vial	5

Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	2/22/2022	Vial	5
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	2/25/2022	Vial	8
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	3/1/2022	Vial	20
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	3/2/2022	Vial	10
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	3/3/2022	Vial	2
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	3/7/2022	Vial	12
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	3/9/2022	Vial	12
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	3/9/2022	Vial	10
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	3/10/2022	Vial	12
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	3/11/2022	Vial	7
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	3/11/2022	Vial	20
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	3/14/2022	Vial	0
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	3/14/2022	Vial	24
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	3/15/2022	Vial	20
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	3/16/2022	Vial	8
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	3/16/2022	Vial	20
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	3/22/2022	Vial	60
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	3/23/2022	Vial	10
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	3/25/2022	Vial	5
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	3/25/2022	Vial	7
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	3/29/2022	Vial	24
Beriplex 500iu 4fpcc Uos = Vial Uoi = Vial	3/29/2022	Vial	30
Beriplex 250iu	4/6/2022	Vial	3
Beriplex 250iu	4/12/2022	Vial	2
Beriplex 250iu	5/3/2022	Vial	1
Beriplex 250iu	7/4/2022	Vial	2
Beriplex 250iu	7/12/2022	Vial	2
Beriplex 250iu	8/5/2022	Vial	1
Beriplex 250iu	8/16/2022	Vial	8
Beriplex 250iu	8/16/2022	Vial	0
Beriplex 250iu	8/29/2022	Vial	1
Beriplex 250iu	9/7/2022	Vial	2
Beriplex 250iu	9/8/2022	Vial	2
Beriplex 250iu	9/21/2022	Vial	1
Beriplex 250iu	10/4/2022	Vial	3
Beriplex 250iu	10/19/2022	Vial	3
Beriplex 250iu	10/24/2022	Vial	0
Beriplex 250iu	10/24/2022	Vial	6
Beriplex 250iu	11/30/2022	Vial	2
Beriplex 250iu	12/7/2022	Vial	3
Beriplex 250iu	12/22/2022	Vial	3
Beriplex 250iu	2/2/2022	Vial	3
Beriplex 250iu	2/9/2022	Vial	2
Beriplex 250iu	3/16/2022	Vial	5
Beriplex 250iu	3/29/2022	Vial	4
Beriplex 1000iu	4/6/2022	Vial	10
Beriplex 1000iu	4/6/2022	Vial	4
Beriplex 1000iu	4/26/2022	Vial	10
Beriplex 1000iu	5/20/2022	Vial	20

Beriplex 1000iu	7/4/2022	Vial	3
Beriplex 1000iu	7/5/2022	Vial	10
Beriplex 1000iu	7/12/2022	Vial	8
Beriplex 1000iu	7/26/2022	Vial	10
Beriplex 1000iu	7/26/2022	Vial	0
Beriplex 1000iu	7/27/2022	Vial	10
Beriplex 1000iu	8/5/2022	Vial	6
Beriplex 1000iu	8/16/2022	Vial	10
Beriplex 1000iu	8/29/2022	Vial	2
Beriplex 1000iu	8/29/2022	Vial	10
Beriplex 1000iu	9/7/2022	Vial	6
Beriplex 1000iu	9/21/2022	Vial	10
Beriplex 1000iu	9/21/2022	Vial	2
Beriplex 1000iu	9/21/2022	Vial	5
Beriplex 1000iu	9/21/2022	Vial	0
Beriplex 1000iu	10/11/2022	Vial	10
Beriplex 1000iu	10/19/2022	Vial	2
Beriplex 1000iu	10/25/2022	Vial	10
Beriplex 1000iu	11/1/2022	Vial	5
Beriplex 1000iu	11/8/2022	Vial	10
Beriplex 1000iu	11/14/2022	Vial	0
Beriplex 1000iu	11/14/2022	Vial	8
Beriplex 1000iu	11/14/2022	Vial	6
Beriplex 1000iu	11/16/2022	Vial	20
Beriplex 1000iu	11/18/2022	Vial	20
Beriplex 1000iu	11/30/2022	Vial	4
Beriplex 1000iu	11/30/2022	Vial	8
Beriplex 1000iu	11/30/2022	Vial	0
Beriplex 1000iu	12/13/2022	Vial	10
Beriplex 1000iu	12/13/2022	Vial	10
Beriplex 1000iu	12/22/2022	Vial	10
Beriplex 1000iu	12/22/2022	Vial	0
Beriplex 1000iu	1/11/2022	Vial	9
Beriplex 1000iu	1/12/2022	Vial	4
Beriplex 1000iu	1/14/2022	Vial	3
Beriplex 1000iu	1/14/2022	Vial	-3
Beriplex 1000iu	1/17/2022	Vial	3
Beriplex 1000iu	1/24/2022	Vial	10
Beriplex 1000iu	2/9/2022	Vial	2
Beriplex 1000iu	2/9/2022	Vial	8
Beriplex 1000iu	2/15/2022	Vial	10
Beriplex 1000iu	2/22/2022	Vial	5
Beriplex 1000iu	3/9/2022	Vial	3
Beriplex 1000iu	3/9/2022	Vial	9
Beriplex 1000iu	3/10/2022	Vial	10
Beriplex 1000iu	3/10/2022	Vial	1
Beriplex 1000iu	3/23/2022	Vial	1
Beriplex 1000iu	3/25/2022	Vial	0
Beriplex 1000iu	3/25/2022	Vial	10
Beriplex 1000iu	3/29/2022	Vial	3